

# Cucurbit Genetics Cooperative 2001-2002 Membership Directory

**Aboul-Nasr, M. Hossam** Dept. Horticulture, Fac. Agriculture, Assiut University, Assiut, Egypt. Ph: +2088310952; Fax: +2088332875; Email: [aboul-nasr@mailcity.com](mailto:aboul-nasr@mailcity.com). Vegetable production and plant tissue culture.

**Akkermans, Doretta** PT East West Seed Indonesia, P.O. Box 1, Campaka, Purwakarta 41181, W. Java, Indonesia. Ph: 0264-201871; Fax: 0264-201875; Email: [doretta@ibm.net](mailto:doretta@ibm.net). Cucumber, watermelon and melon breeding.

**Andres, Thomas C.** 5440 Netherland Ave., #D24, Bronx, NY, 10471-2321. Ph: (718) 601-7329; Fax: (718) 601-7329; Email: [tom@andres.com](mailto:tom@andres.com). *Cucurbita* systematics.

**Attard, Everaldo** 14, Calendula, Triq ir-Rebbiegha, Siggiewi (QRM 13), Malta. Ph: ++356 3290 2323; Email: [eatt1@um.edu.mt](mailto:eatt1@um.edu.mt). Research on the economic importance of *Ecballium elaterium* (squirting cucumber).

**Ayuso, M<sup>a</sup> Cruz** Seminis Vegetable Seeds Iberica, S.A., Finca Villa Dolores, CTRA NAC 301, KM 432a, 30319 Miranda, Cartagena Murcia, Spain. Ph: 34 968 55 00 80; Fax: 34 968 55 06 76; Email: [cmunoz@svseeds.nl](mailto:cmunoz@svseeds.nl).

**Bao, HaiQing** Xinjiang Western China Seed Group, No. 25 Luzhou Road, Changji, Xinjiang 831100, P.R. China. Ph: (0994) 2345202; Fax: (0994) 2348415. Watermelon & melon breeding, hybrid seed production techniques, variety evaluation.

**Barham, Warren S.** Barham Seeds, Inc., 7401 Crawford Dr., Gilroy, CA, 95020- 5421. Ph: (408) 847-3056; Fax: (408) 847-6988; Email: [wsbarham@garlic.com](mailto:wsbarham@garlic.com). Watermelon and melon breeding.

**Baudracco-Arnas, Sylvie** ASL, Site Agroparc Bat. 1, 755, Chemin des Meinajaries, BP. 1202, 84911 Avignon Cedex 9, Cedex 9, France. Ph: 04.90 84 00 46; Fax: 04.90 84 00 47; Email: [sba.asl@pol.fr](mailto:sba.asl@pol.fr). Melon molecular biologist.

**Beaver, Linda** See *Wessell-Beaver, Linda*

**Berenji, Janos** Inst. Field & Vegetable Crops, 21470 Backi Petrovac, Yugoslavia. Email: [berenji@EUnet.yu](mailto:berenji@EUnet.yu).

**Blazey, Douglas A.** Yates Vegetable Seeds, Research Farm, Burroway Road, Narromine, N.S.W. 2821, Australia. Ph: (068) 89-1144.

**Boissot, Nathalie** INRA, Domaine Duclos, Petit-Bourg BP 515, 97165 Pointe'Pitre cedex, Guadeloupe (F.W.I.). Ph: (0)590 25 59 45; Fax: (0)590 94 11 72; Email: [boissot@antilles.inra.fr](mailto:boissot@antilles.inra.fr).

**Bosma, Monique** ENZA ZADEN, De Enkhuizer Zaadh. b.v., Postbox 7, 1600 AA Enkhuizen, The Netherlands. Ph: 02280-315844; Fax: 0228-315960; Email: [M.Bosma@enzazaden.nl](mailto:M.Bosma@enzazaden.nl).

**Boyhan, George E.** University of Georgia, P.O. Box 8112, GSU, Statesboro, GA, 30460. Ph: (912) 681-5639; Fax: (912) 681-0376; Email: [gboyhan@uga.cc.uga.edu](mailto:gboyhan@uga.cc.uga.edu). Melon and watermelon breeding.

**Brown, Rebecca** Dept. Hort., Oregon St. Univ., Ag Life Sci Bldg 4017, Corvallis, OR, 97331. Ph: (541) 737-5462; Email: [brownr@bcc.orst.edu](mailto:brownr@bcc.orst.edu). Virus resistance, *Cucurbita* germplasm, squash breeding.

**Bruton, Benny** U.S. Dept. Agriculture, Agricultural Research Service, Lane, OK, 74555. Ph: (580) 889-7395; Fax: (580) 889-5783; Email: [bbruton-usda@lane-ag.org](mailto:bbruton-usda@lane-ag.org). Vine declines of cucurbits; postharvest fruit rots.

**Burger, Yosi** New Ya'ar Research Center, P.O. Box 1021, Ramat Yishay 30095, Israel.

**Burkett, Al** Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219. Pickling cucumber breeding.

**Çaglar, Gülat** KSU, Ziraat Fakültesi, Bahçe Bitkileri Bölümü, 46060, Kahramanmaraş, Turkey. Ph: 90-344-237666/384; Fax: 90-344-2230048; Email: [gulat99@excite.com](mailto:gulat99@excite.com). Cucumber breeding.

**Carey, Edward E. "Ted"** Kansas State R&E Center at Olathe, 35125 W. 135th St., Olathe, KS, 66061. Ph: (816) 806-3734; Fax: (785) 532-6949; Email:

*tcarey@oznet.ksu.edu*. Breeder with interest in cucurbits.

**Carle, R. Bruce** Hollar Seeds, PO Box 0106, Rocky Ford, CO, 81067-0106. Email: *bcarle@ria.net*. Watermelon and squash breeding.

**Chen, Fure-Chyi** Dept. Plant Industry, Natl. Pingtung Univ. Sci. & Techn., Neipu, Pingtung 91207, Taiwan, Rep. China. Ph: 886-8-774-0267; Fax: 886-8-774- 0371; Email: *furechen@mail.npust.edu.tw*. Gene transfer, breeding, tissue culture and isozymes.

**Ching, "Alex" Alejandro** Alternative Crops Res Ctr, NW MO St U, 106 Valk, 800 Univ Dr, Maryville, MO, 64468. Ph: (660) 562-1126; Fax: (660) 562-1621; Email: *alching@mail.nwmissouri.edu*. Breeding & introduction of new cucurbits. Production & nutritional quality.

**Chung, Paul** Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219; Email: *Paul.Chung@svseeds.com*. Melon breeding.

**Coffey, Robyn** Willhite Seed, Inc., P.O. Box 23, Poolville, TX, 76487. Ph: (817) 599-8656; Fax: (817) 599-5843; Email: *robyn@willhiteseed.com*.

**Cohen, Ron** Newe Ya'ar Research Center, P.O. Box 1021, Ramat Yishay 30095, Israel. Ph: 972-4-953-9516; Fax: 972-4-983-6936. Plant pathology; root and foliar diseases of cucurbits.

**Cohen, Yigal** Department of Life Sciences, Bar-Ilan University, Ramat-Gan 52 100, Israel. Ph: +9723-5318251; Fax: +9723-6771088. Melon.

**Cook, Kevin L.** Syngenta Seeds, Veg-NAFTA, 10290 Greenway Road, Naples, FL, 34114. Ph: (941) 775-4090; Fax: (941) 774-6852; Email: *kevin.cook@syngenta.com*. Breeding of summer squash.

**Coyne, Dermot P.** Department of Horticulture, University of Nebraska, Lincoln, NE, 68583-0724. Ph: (402) 472-1126; Fax: (402) 472-8650; Email: *dpcoyne@unlnotes.unl.edu*. Breeding and genetics of squash.

**Cramer, Chris** Dept. Agron. & Hort., NMSU, P.O. Box 30003, Dept. 3Q, Las Cruces, NM, 88003-8003. Ph: (505) 646-3405; Email: *ccramer@nmsuvm1.nmsu.edu*. Cucumber yield, yield components, combining ability, heterosis and recurrent selection.

**Crosby, Kevin** Texas Agric. Expt. Sta., 2415 East Hwy 83, Weslaco, TX, 78596. Ph: (956) 969-5636; Fax: (956) 969-5620; Email: *k-crosby@tamu.edu*. Myrothecium stem canker on melon.

**Cui, Hongwen** Dept. Horticulture, Northwestern Agric. Univ., Yangling, Shaanxi 712100, P.R. China. Cucumber breeding.

**Dane, Fenny** Dept. Horticulture, Auburn University, Auburn, AL, 36849. Ph: (334) 844-3047; Fax: (334) 844-3131; Email: *fdane@acesag.auburn.edu*. *Citrullus* genomics.

**Danin-Poleg, Yael** A.R.O., Newe Ya'ar Expt. Station, P.O. Box 1021, Ramat Yishay 30095, Israel. Ph: 972-4-9539553/4; Fax: 972-4-9836936; Email: *geneweya@netvision.net.il*.

**Davis, Angela** USDA, ARS, P.O. Box 159, Hwy. 3 West, Lane, OK, 74555. Ph: (580) 889-7395; Fax: (580) 889-5783; Email: *adavis-usda@lane-ag.org*. Germplasm improvement.

**de Groot, Erik** Breeding, Sementi Nunhems S.R.L., Via Ghiarone, 2, 40019 S. Agata Bolognese, Italy.

**De Hoop, Simon Jan** East-West Seed, Farm Lert Phan, 7 Moo 9, Tambon Maefaek Mai, Amphur Sansai, Chiangmai, 50290 Thailand. Ph: (66) 53-848610; Fax: (66) 53-848611; Email: *research.th@eastwestseed.com*. Cucurbit breeding.

**De Langen, Frank** Mas St. Pierre, 13210 St Remy de Provence, France. Email: *frank.delangen@clause.fr*.

**de Melo, Arlete Marchi Tavales** Centro de Horticultura, Instituto Agronomico de Campinas, Campinas, SP, Brazil. Email: *arlete@cec.iac.br*.

**de Ruiter, A.C.** de Ruiter Zonen CV, Postbus 1050, 2660 BB Bergschenhoek, The Netherlands. Ph: 010-5292204; Fax: 010-5216125. Breeding and seed production of cucumbers.

**Decker-Walters, Deena** The Cucurbit Network, 11901 Old Cutler Road, Miami, FL, 33156-4242. Ph: (305) 667-3800; Fax: (305) 661-5984; Email: *walters@servax.fiu.edu*. Communication via The Cucurbit Network; the whole family Cucurbitaceae.

**Della Vecchia, Paulo T.** Agroflora S/A, Caixa Postal 427, 12.900-000 Braganca, Paulista - SP, Brazil. Ph: (011) 7871-0855; Fax: (011) 7843-6572. Breeding & genetics, seed production and disease resistance of melon and squash.

**Denlinger, Phil** Mt. Olive Pickle Co., Inc., P.O. Box 609, Mount Olive, NC, 28365. Ph: (919) 658-2535; Fax: (919) 658-6090.

**Di Nitto, Louis Victor** Sunseeds, 8850 59th Ave., N.E., Brooks, OR, 97305. Ph: (503) 393-3243; Fax: (503) 390-0982. Melon (*Cucumis melo*).

**Dogan, Remzi** Kaplikaya Mah. Sukent Sites1, K Blok, No:7, Bursa, Turkey 16320. Ph: ++90 224 3679879; Fax: ++90 224 2236570; Email: [remzi@may.com.tr](mailto:remzi@may.com.tr). Hybrid breeding and resistance breeding of cucumbers, watermelons, cantaloupes, squashes.

**Drowns, Glenn** Sand Hill Preservation Center, 1878 230th Street, Calamus, IA, 52729. Ph: (319) 246-2299; Email: [gdrawns@cal-wheat.k12.ia.us](mailto:gdrawns@cal-wheat.k12.ia.us). Genetic preservation of all cucurbits. Taxonomy of *Cucurbita moschata* and *Cucurbita argyrosperma*.

**Duangsong, Usa** Limagrains Veg. Seeds Asia, 119/9 Moo 1, Baan Khao, Muang, Kanchanaburi 71000, Thailand. Ph: 66-2-636-2521-1; Fax: 66-2-636-2524; Email: [songusa@loxinfo.co.th](mailto:songusa@loxinfo.co.th).

**Eigsti, Ori J.** 1602 Winsted, College Green, Goshen, IN, 46526. Ph: (219) 533-4632. Fusarium wilt resistance in tetraploid *Citrullus lanatus* lines, to eliminate crop rotation.

**El Jack, Ali Elamin** Dept. Horticulture, Fac. Agric. Sci., University of Gezira, Wad Medani, P.O. Box 20, Sudan. Email: [nahla\\_2elamin@yahoo.com](mailto:nahla_2elamin@yahoo.com).

**Elmstrom, Gary** c/o Sunseeds, 7087 E. Peltier Road, Acampo, CA, 95220. Ph: (209) 367-1064; Fax: (209) 367-1066; Email: [gary.elmstrom@sunseeds.com](mailto:gary.elmstrom@sunseeds.com). Triploid watermelon breeding.

**Ezura, Hiroshi** Plant Biotech Inst, Ibaraki Agric Ctr, Ago, Iwama, Nishi-ibaraki, 319-0292, Ibaraki, Japan. Ph: 0299-45-8330; Fax: 0299-45-8351; Email: [ezura@nocs.tsukuba-noc.affrc.go.jp](mailto:ezura@nocs.tsukuba-noc.affrc.go.jp)

**Fanourakis, Nicholas E.** Technological Education Institute, Heraklion Crete, 71500 Greece. Ph: +30-81-311388; Fax: +30-81-318204; Email: [fanourak@lyttos.admin.teiher.gr](mailto:fanourak@lyttos.admin.teiher.gr).

**Fito, Laia** Plant Molec Marker & Pathol Dept, Semillas Fito S.A., c/Selva de Mar, Ill, 08019 Barcelona, Spain. Ph: +34 (9)3 303 63 60; Fax: +34 (9)3 307 03 64; Email: [eulalia@fito.es](mailto:eulalia@fito.es). Disease resistance and quality of melons (esp. Spanish) & cucumber; breeding schemes & genetic markers.

**Gabert, August C.** Sunseeds, 8850 59th Ave. NE, Brooks, OR, 97305-9625. Ph: (503) 393-3243; Fax: (503) 390-0982. Cucumber breeding and genetics.

**Ganapathi, A.** Dept. Biotechnology, Bharathidasan University, Tiruchirappalli - 620 024, India. Ph: 91-0431-660386; Fax: 91-0431-660245; Email: [ganap@bdu.ernet.in](mailto:ganap@bdu.ernet.in).

**Garcia, Ernesto** Asgrow Spain, S.L., P.O. Box 175, 04700 El Ejido, Almería, Spain. Ph: (34) 950-580012; Fax (34) 950-581162.

**Garza Ortega, Sergio** Univ Sonora, Dept Agric y Ganaderia, Iturbide #32 Jalisco/N. Heroes, Hermosillo, Sonora 83040, Mexico. Ph: (62) 13-80-06; Fax: (62) 13-80-06; Email: [sgarza@rtn.uson.mx](mailto:sgarza@rtn.uson.mx). Breeding of *Cucurbita* spp.; testing of new muskmelon lines.

**Gatto, Gianni** Esasem Spa, Via San Biagio 25, 37052 Casaleone (VR), Italy. Ph: 0442/331633; Fax: 0442/330834.

**Gómez-Guillamón, M. Luisa** Estacion Experimental La Mayora, 29750 Algarrobo- Costa, Malaga, Spain. Ph: (952) 51 10 00; Fax: (952) 51 12 52; Email: [guillamon@mayora.csic.es](mailto:guillamon@mayora.csic.es).

**Groff, David** Asgrow - SVS, 432 TyTy Omega Road, Tifton, GA, 31794. Ph: (912) 386-8701; Fax: (912) 386-8805. Breeding of squash, cucumber, melon and watermelon.

**Grumet, Rebecca** Dept. Hort., Plant & Soils Building, Michigan State University, East Lansing, MI, 48824-1325. Ph: (517) 353-5568; Fax: (517) 353-0890; Email: [grumet@pilot.msu.edu](mailto:grumet@pilot.msu.edu). Disease resistance, gene flow, tissue culture and genetic engineering.

**Gusmini, Gabriele** 4610 Twisted Oaks Dr., #1806, Raleigh, NC, 27612. Ph: (919) 786-0653; Email: [ggusmin@unity.ncsu.edu](mailto:ggusmin@unity.ncsu.edu). Watermelon research.

**Hagihara, Toshitsugu** Hagihara Farm Co., Ltd., 984 Hokiji, Tawaramoto, Shiki Nara, 636-0222, Japan. Ph: 07443-3-3233; Fax: 07443-3-4332; Email: [cucurbit@mahoroba.ne.jp](mailto:cucurbit@mahoroba.ne.jp).

**Haim, Davidi** Hazera Quality Seed Ltd., Mivhor Farm Doar, Sede Gat 79570, Israel.

**Hassan, Ahmed Abdel-Moneim** Department of Vegetable Crops, Fac. Agriculture, Cairo University, Giza, Egypt. Ph: 724107 & 724966. Cucumber, melon, squash & watermelon germplasm evaluation and breeding for disease resistance, incl. viruses.

**Havey, Michael J.** USDA/ARS, Department of Horticulture, University of Wisconsin, Madison, WI, 53706. Ph: (608) 262-1830; Fax: (608) 262-4743; Email: [mjhavey@facstaff.wisc.edu](mailto:mjhavey@facstaff.wisc.edu).

**Hentschel, Richard** Pickle Packers Intl., Inc., P.O. Box 606, St. Charles, IL, 60174-0606. Ph: (630) 584-8950; Fax: (630) 584-0759; Email: [staff@ppii.org](mailto:staff@ppii.org). Trade Association for pickle vegetables, primarily cucumbers, peppers and cabbage.

**Herman, Ran** Zeraim Seed Growers Company Ltd., Department of Breeding, Gedera 70 700, Israel. Ph: 08-592760; Fax: 08-594376.

**Hertogh, K.** Nickerson-Zwaan b.v., Postbus 28, 4920 AA Made, The Netherlands. Ph: 31(0)62 690 900; Fax: 31(0)162 680 970; Email: [seeds@nickerson-zwaan.nl](mailto:seeds@nickerson-zwaan.nl).

**Himmel, Phyllis** Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 669-6182; Email: [phyllis.himmel@svseeds.com](mailto:phyllis.himmel@svseeds.com). Viral diseases of cucurbits.

**Hirabayashi, Tetsuo** Nihon Horticultural Production Inst., 207 Kamishiki, Matsudo-shi, Chiba-ken 270-2221, Japan. Ph: 0473-87-3827; Fax: 0473-86-1455. Varietal improvement of cucurbit crops, especially melon, cucumber and pumpkin.

**Hollar, Larry A.** Hollar & Co., Inc., P.O. Box 106, Rocky Ford, CO, 81067. Ph: (719) 254-7411; Fax: (719) 254-3539; Email: [lahollar@iguana.ruralnet.net](mailto:lahollar@iguana.ruralnet.net). Cucurbit breeding and seed production.

**Holle, Miguel** CALCE 2, #183 Urb. El Rancho, Miraflores - Lima 18, Peru. Ph: 51-14-383749; Fax: 51-14-351570; Email: [m.holle@cgia.org](mailto:m.holle@cgia.org). Plant genetic resources.

**Holman, Bohuslav** Bzinska Str. 1420, Bzenec, CZ-696 81, Czech Republic. Ph: +420-631-384470; Fax: +420-631-384972; Email: [bholman@iol.cz](mailto:bholman@iol.cz). Cucumber breeding and seed production

**Humaydan, Hasib** Ag Consulting International, 317 Red Maple Drive, Danville, CA, 94506. Ph: (925) 736-1241; Fax: (925) 736-1241; Email: [humaydan@aol.com](mailto:humaydan@aol.com).

**Hutton, Mark** Univ. Maine, Highmoor Farm, P.O. 17, Monmouth, ME, 04259-0179. Ph: (207) 933-2100; Email: [mhutton@umext.maine.edu](mailto:mhutton@umext.maine.edu). Squash breeding and cultivar development.

**Iamsangsri, Suphot** Limagrains Veg. Seeds Asia, 119/9 Moo 1, Baan Khao, Muang, Kanchanaburi

71000, Thailand. Ph: 66-2-636-2521-1; Fax: 66-2-636-2524.

**Ignart, Frederic** Centre de Recherche TEZIER, Route de Beaumont, Domaine de Maninet, 26000 Valence, France. Ph: (33) 75575757; Fax: (33) 75552681; Email: [frederic.ignart@tezier.com](mailto:frederic.ignart@tezier.com). Squash and melon breeding.

**Ikegami, Takayuki** Sakata Seed Corp., 1743-2 Yoshioka, Kakegawa, Shizuoka, 436-0115, Japan. Ph: 81-0537-26-1111; Fax: 81-0537-26-1110. Cell biology.

**Ito, Kimio** Vegetable Breeding Laboratory, Hokkaido Natl. Agric. Expt. Sta., Hitsujigaoka, Sapporo, Japan 062-8555. Ph: 011(851)9141; Fax: 011(859)2178; Email: [kito@cryo.affrc.go.jp](mailto:kito@cryo.affrc.go.jp).

**Jahn, Molly Kyle** Cornell Univ, Dept Plant Brdng, 312 Bradfield Hall, Ithaca, NY, 14853-1902. Ph: (607) 255-8147; Fax: (607) 255-6683; Email: [mmk9@cornell.edu](mailto:mmk9@cornell.edu). Melon and squash breeding and genetics.

**Jain, Jaagrati** B-149 M. P. Enclave, Pitampura, Delhi-110034, India. Email: [jaagrati@rediffmail.com](mailto:jaagrati@rediffmail.com). Melon genetics & tissue culture.

**Johnston, Rob, Jr.** Johnny's Selected Seeds, Foss Hill Road, Albion, ME, 04910-9731. Ph: (207) 437-9294; Fax: (207) 437-2603; Email: [rob@johnnyseeds.com](mailto:rob@johnnyseeds.com). Squash and pumpkins.

**Kampmann, Hans Henrik** Breeding Station Danefeld, Odensevej 82, 5290 Marslev, Denmark. Ph: 65 95 17 00; Fax: 65 95 12 93.

**Kanda, Minoru** Kanda Seed Co., Ltd., 262 Shinga, Kashihara, Nara, 634-0006, Japan. Ph: 0744-22-2603; Fax: 0744-22-9073; Email: [minojazz@mue.biglobe.ne.jp](mailto:minojazz@mue.biglobe.ne.jp).

**Karchi, Zvi** 74 Hashkedim St., Kiryat-Tivon 36501, Israel. Ph: 04-9830107; Fax: 972-4-9836936. Cucurbit breeding, cucurbit physiology.

**Kato, Kenji** Fac. Agriculture, Okayama Univ., 1-1-1 Tsushima Naka, Okayama, 700, Japan. Ph: 81-86-251-8323; Fax: 81-86-254-0714; Email: [kenkato@cc.okayama-u.ac.jp](mailto:kenkato@cc.okayama-u.ac.jp). Use of molecular markers for QTL mapping and cultivar identification in melon.

**Katzir, Nurit** Newe Ya'ar Research Center, ARO, P.O. Box 1021, Ramat Yishay, 30095, Israel. Ph: 972-4-9539554; Fax: 972-4-9836936; Email: [nuritkat@netvision.net.il](mailto:nuritkat@netvision.net.il).

**Keita, Sugiyama** Kurume Branch, Natl Res Inst, Veg/OrnPlnts/Tea, Kurume, Fukuoka 839-8503, Japan. Ph: +81-942-43-8271; Fax: +81-942-43-7014. Watermelon.

**Kerje, Torbjorn** IPGRI, c/o ICRAF, PO Box 30677, Nairobi, Kenya. Ph: 254-2- 521514; Fax: 254-2-521209. Genetic diversity of *Cucurbita* and *Cucumis* in Southern Africa.

**Khan, Iqrar A.** Dept. Crop Sciences, Sultan Qaboos University, P.O. Box-34, Al-Khod 123, Sultanate of Oman. Ph: (+968) 515-213; Fax (+968) 513-418, Email: [iqrar@squ.edu.om](mailto:iqrar@squ.edu.om).

**King, Joseph J.** Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-6262; Fax: (530) 666-5759; Email: [joe.king@svseeds.com](mailto:joe.king@svseeds.com). Genetics and breeding of melon, cucumber and squash.

**King, Stephen R.** Seminis Vegetable Seeds, Inc., 37437 State Hwy. 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219; Email: [stephen.king@seminis.com](mailto:stephen.king@seminis.com). Melon breeding.

**Kirkbride, Joseph H., Jr.** USDA-ARS, Systematic Bot & Mycol Lab, Rm 304, Bldg 011A, BARC-West, Beltsville, MD, 20705-2350. Ph: (301) 504-9447; Fax: (301) 504-5810; Email: [jkirkbri@asrr.arsusda.gov](mailto:jkirkbri@asrr.arsusda.gov). Systematic taxonomy of the Cucurbitaceae.

**Klapwijk, Ad** De Ruiter Zonen CV, Postbus 1050, 2660 BB Bergschenhoek, The Netherlands. Ph: 010-5292253; Fax: 010-5292410.

**Knerr, Larry D.** Shamrock Seed Company, 3 Harris Place, Salinas, CA, 93901- 4586. Ph: (831) 771-1500; Fax: (831) 771-1517; Email: [lkennr@shamrockseed.com](mailto:lkennr@shamrockseed.com). Varietal development of honeydew and cantaloupe.

**Konno, Yoshihiro** Asahi Ind., Biol. Engin. Lab., 222 Wataruse, Kamikawa-machi, Kodama-gun, Saitama 367-0394, Japan. Ph: 81-274-52-6339; Fax: 81-274-52-4534; Email: [y.konno@asahi-kg.co.jp](mailto:y.konno@asahi-kg.co.jp). Watermelon breeding.

**Kraakman, Peter** DeRuiter Zohen, Torre Caribe 7D, Aguadulce (Almeria), Spain. Email: [Peter.Kraakman@deruiterseeds.com](mailto:Peter.Kraakman@deruiterseeds.com).

**Křístková, Eva** Res Inst Crop Prod, Praha-Ruzyne, Workplace Olomouc, Slechtitelu 11, 738 71 Olomouc, Czech Republic. Ph: +420-68-5228355; Fax: +420-68-5228355; Email: [olgeba@ova.pvtnet.cz](mailto:olgeba@ova.pvtnet.cz). Gene bank curating of

cucurbitaceous vegetables; powdery mildew resistance in *Cucurbita*.

**Kuginuki, Yasuhisa** National Institute Veg/Orn/Tea, Crop Research Station, Ano, Mie 514-2392, Japan. Ph: 0592-68-1331; Fax: 0592-68-1339. Breeding for resistance to disease.

**Kuhlmann, Hubert** Fink GmbH, Benzstrasse 25, D-71083 Herrenberg, Germany. Ph: (07032) 922-122; Fax: (07032) 922-202.

**Kuti, Joseph O.** Dept Agron & Res Sci, Hort Crops Lab, Texas A&M University - Kingsville, Kingsville, TX, 78363. Ph: (361) 593-3978; Fax: (361) 593-3788; Email: [j-kuti@tamuk.edu](mailto:j-kuti@tamuk.edu). Breeding and genetics; host-parasite interrelationships; postharvest physiology.

**Kwack, Soo Nyeon** Dept Hort Breeding, Mokpo Natl Univ, Dorimri, Chonggyemyun, Muangun, Chonnam 534-729, Korea.

**Kwon, Young-Seok** Natl. Alpine Agric. Expt. Sta., 1 Hoengkeri, Doam, Pyongchang, Kangwondo, Rep. Korea 232-950. Ph: 82-374-330-7811; Fax: 82-374-330-7715; Email: [yskwon@naaes.go.kr](mailto:yskwon@naaes.go.kr). Watermelon germplasm evaluation and breeding for disease resistance.

**Lebeda, Aleš** Palacky University, Dept. Botany, Slechtitelu 11, 783 71 Olomouc, Czech Republic. Ph: +420/68/5228825; Fax: +420/68/5241027; Email: [lebeda@risc.upol.cz](mailto:lebeda@risc.upol.cz).

**Lee, Do-Hyon** Novartis Seeds Co., Ltd., 8th fl. SungAm Bldg. #114, Nonhyun-dong, Kangnam-ku, Seoul, Korea 135-010. Ph: +82 2 3218 5400; Fax: +82 2 516 2286. Disease resistance.

**Lee, Sang Yeb** Breeding Res. Inst., Dongbuhannong Chem., #481-3, Deng Bong-RT, YangSeong-Myun, An Seong, Kyung Ki, South Korea 456-930. Ph: 31-674-6911-5; Fax: 31-674-6916; Email: [syleehan@hanmail.net](mailto:syleehan@hanmail.net).

**Legg, Erik** 7240 Holsclaw Road, Gilroy, CA, 95020. Ph: 408-846-2228; Fax: 408- 848-8129; Email: [erik.legg@syngenta.com](mailto:erik.legg@syngenta.com). Genetics; phylogeny, resistance, molecular markers.

**Lehmann, Louis Carl** Louie's Pumpkin Patch, Brinkgatan 6, SE-268 32, Svalov, Sweden. Ph: +46-418-66 3602; Email: [pumpkin.patch@swipnet.se](mailto:pumpkin.patch@swipnet.se). *Cucurbita* - testing of squash and pumpkin for use in Southern Sweden.

**Lelley, Tamas** Inst Agrobiotech, Dept Plant Biotech, Konrad Lorenz Str. 20, Tulln, Lower

Austria, Austria 3430. Ph: +43 2272 66280 204; Fax: +43 2272 66280 77; Email: [lalley@ifa-tull.ac.at](mailto:lalley@ifa-tull.ac.at).  
*Cucurbita* spp.

**Lester, Gene** USDA/ARS, Subtropical Agric Res Lab, 2301 S. International Blvd., Weslaco, TX, 78596. Ph: (210) 565-2647; Fax: (210) 565-6133; Email: [glester@pop.tamu.edu](mailto:glester@pop.tamu.edu). Stress and pre/postharvest physiology of melons.

**Levi, Amnon** U.S. Vegetable Laboratory, 2875 Savannah Highway, Charleston, SC, 29414. Ph: (843) 556-0840; Fax: (834) 763-7013; Email: [alevi@awod.com](mailto:alevi@awod.com).

**Lin, Depei** Sichuan Academic Agric. Science, Institute of Horticulture, Chengdu 610066, People's Rep. China. Ph: (028) 4791732; Fax: (028) 4442025. Watermelon, melon and *Cucurbita* breeding.

**Liu, Wenge** Zhengzhou Fruit Research Inst, Chinese Academy of Agric Sci, Zhengzhou, Henan, P.R. China 450009. Ph: (0371) 6815703; Fax: (0371) 6815771; Email: [wliorong@public2.zz.ha.cn](mailto:wliorong@public2.zz.ha.cn). Watermelon breeding, male sterility, tetraploids, triploids.

**Lopez Anido, Fernando** Catedra de Genetica, Fac. de Cs. Agrarias, UNR, CC 14, 2123 Zavalla, Argentina. Ph: 54-41-970080; Fax: 54-41-970085; Email: [felopez@fcagr.unr.edu.ar](mailto:felopez@fcagr.unr.edu.ar). Breeding of *Cucurbita pepo* L. (caserta type).

**Love, Stephen Loyd** Aberdeen R&E Center, P.O. Box AA, Aberdeen, ID, 83210. Ph: (208) 397-4181; Fax: (208) 397-4311; Email: [sllove@uidaho.edu](mailto:sllove@uidaho.edu). Small scale private watermelon breeding with emphasis on adaptation to cold climates.

**Lower, Richard L.** Coll. Agriculture, Univ. Wisconsin, 1450 Linden Drive, Room 240, Madison, WI, 53706. Ph: (608) 262-2349; Fax: (608) 265-6434; Email: [richard.lower@ccmail.adp.wisc.edu](mailto:richard.lower@ccmail.adp.wisc.edu). Effects of plant type genes on yield, sex- expression, growth parameters, pest resistance & adaptability.

**Loy, J. Brent** Dept. Plant Biology, Univ. New Hampshire, Durham, NH, 03824. Ph: (603) 862-3216; Fax: (603) 862-4757; Email: [jbloy@cisunix.unh.edu](mailto:jbloy@cisunix.unh.edu). Squash, melon, pumpkin. Genetics, breeding, plasticulture, mulch, rowcovers.

**Maluf, Wilson Roberto** Dept. de Agricultura/UFLA, Caixa Postal 37, 37200-000 Lavras-MG, Brazil. Ph: (035) 829-1326; Fax: (035) 829-1301; Email: [wrmaluf@ufla.br](mailto:wrmaluf@ufla.br). Cucumbers, melons, squashes.

**Markiewicz-Ladd, Krystyna** Polonica International, P.O. Box 2305, Gilroy, CA, 95021. Ph: (408) 842-1022; Fax: (408) 842-1022; Email: [polonica@aol.com](mailto:polonica@aol.com). Melons - breeding, new germplasm, postharvest physiology, biotechnology, cultural practices, new diseases.

**Martyn, Ray D.** Dept. Botany & Plant Pathology, 1155 Lilly Hall, Purdue Univ., West Lafayette, IN, 47907-1155. Ph: (765) 494-4615; Fax: (765) 494-0363; Email: [Martyn@btny.purdue.edu](mailto:Martyn@btny.purdue.edu). Soilborne diseases of watermelon and melon, particularly the Fusarium wilts and vine declines.

**Matsuura, Seiji** Kiyohara Breeding Sta., Tohoku Seed Co., 1625 Nishihara, Himuro, Utsunomiya, Japan. Ph: 0286-34-5428; Fax: 0286-35-6544.

**Mayberry, Mella-Dee** Seminis Vegetable Seeds, 37437 State Hwy 16, Woodland, CA, 95695. Ph: (530) 669-6185; Fax: (530) 666-2308; Email: [Mella-Dee.Mayberry@seminis.com](mailto:Mella-Dee.Mayberry@seminis.com).

**Maynard, Donald N.** University of Florida, 5007 60th Street East, Bradenton, FL, 34203. Ph: (941) 751-7636; Fax: (941) 751-7639; Email: [bra@gnv.ifas.ufl.edu](mailto:bra@gnv.ifas.ufl.edu). Tropical *C. moschata* improvement; watermelon variety evaluation and production practices.

**McClurg, Charles A.** University of Maryland, Dept. Natural Resource Sci., College Park, MD, 20742-4452. Ph: (301) 405-4342; Fax: (301) 314-9308; Email: [cm19@umail.umd.edu](mailto:cm19@umail.umd.edu). Production and culture of cucurbit crops.

**McCreight, J.D.** USDA-ARS, 1636 E. Alisal St., Salinas, CA, 93905. Ph: (831) 755-2864; Fax: (831) 755-2814; Email: [VegBreeder@netscape.net](mailto:VegBreeder@netscape.net). Melon breeding and genetics.

**McGrath, Desmond John** Dept. Primary Ind., Hortic. Res. Sta., P.O. Box 538, Bowen, Queensland 4805, Australia. Ph: +61-7-4785 2255; Fax: +61-7-4785 2427; Email: [mcgratdj@prose.dpi.qld.gov.au](mailto:mcgratdj@prose.dpi.qld.gov.au). Disease resistance in *Cucumis melo*, particularly gummy stem blight.

**Meadows, Mike** Syngenta Seeds, Inc., 10290 Greenway Road, Naples, FL, 34114. Ph: (941) 775-4090; Fax: (941) 774-6852; Email: [mike.meadows@syngenta.com](mailto:mike.meadows@syngenta.com). Vegetable diseases.

**Merrick, Laura C.** Dept. Agron., Iowa St. Univ, G207 Agronomy Hall, Ames, IA, 50011-1010. Ph: (515) 294-7636; Fax: (515) 294-3163; Email: [lmerrick@iastate.edu](mailto:lmerrick@iastate.edu). *Cucurbita* evolution; cucurbit

germplasm evaluation and conservation; ethnobotany and evolution.

**Mochizuki, Tatsuya** Kurume Br, Natl Res Inst Veg/Orn/Tea, 1823 Mii-machi, Kurume, Fukuoka 830, Japan. Ph: 0942-43-8271; Fax: 0942-43-7014.

**Morelock, Ted** Dept. Horticulture & Forestry, University of Arkansas, Fayetteville, AR, 72701. Ph: (501) 575-2603; Fax: (501) 575-8619; Email: [morelock@comp.uark.edu](mailto:morelock@comp.uark.edu). Cucumber breeding.

**Munger, H.M.** Cornell University, 252 Emerson Hall, Ithaca, NY, 14853. Ph: (607) 255-7820; Fax: (607) 255-6683; Email: [hmm11@cornell.edu](mailto:hmm11@cornell.edu). Cucurbit breeding and disease resistance.

**Myers, James R.** Dept. Horticulture, Oregon State Univ., 4137 Ag Life Sciences Bldg., Corvallis, Oregon, 97331. Ph: (541) 737-3083; Email: [myersja@bcc.orst.edu](mailto:myersja@bcc.orst.edu).

**Nadel, Michael** 10851 Woodbine Street, Los Angeles, CA, 90034. Ph: (310) 838-7675; Fax: (310) 202-7466; Email: [dansonseed@mediaone.net](mailto:dansonseed@mediaone.net). Breeding summer squash, cucumbers, melons and watermelons.

**Nannes, Jeroen** Seminis Vegetable Seeds, P.O. Box 93, 2675 ZH Honselersdijk, The Netherlands. Email: [jnannes@svseeds.nl](mailto:jnannes@svseeds.nl). Breeding slicing cucumber.

**Navazio, John P.** Chriseed, P.O. Box 98, Mount Vernon, WA, 98273-0098. Ph: (360) 336-9727; Fax: (360) 424-9520; Email: [john\\_navazio@alfseed.com](mailto:john_navazio@alfseed.com). Breeding for increased pigments in cucurbits, carrots and beets.

**Nea, Larry** Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219. Cucumbers, melons, squash, watermelon.

**Ng, Timothy J** Dept. Natural Resource Sci., University of Maryland, College Park, MD, 20742-4452. Ph: (301) 405-4345; Fax: (301) 314-9308; Email: [tn5@umail.umd.edu](mailto:tn5@umail.umd.edu). Melon breeding and genetics; postharvest physiology; seed germination.

**Niemirowicz-Szczytt, Katarzyna** Warsaw Ag Univ, Dept Gen & Plt Brdng, ul. Nowoursynowska 166, 02-766 Warsaw, Poland. Ph: (48-22) 843 09 82; Fax: (48-22) 843 90 61; Email: [niemirowicz@alpha.sggw.waw.pl](mailto:niemirowicz@alpha.sggw.waw.pl). Cucumber, melon, winter and summer squash, watermelon - genetics, breeding, tissue culture, biotechnology.

**Nuez, Fernando** Cat.de Genetica, ETS Ingen. Agron., Univ. Politecnica, Camino de Vera, 14,

46020 Valencia, Spain. Ph: 34 (6) 387-74-21; Fax: 34 (6) 387-74-29; Email: [fnuez@btc.upv.es](mailto:fnuez@btc.upv.es). Genetics and plant breeding.

**Oliveira de Paiva, Waldelice** EMBRAPA/CNPAT - Caixa Postal 3761, Rua Dra. Sara Mesquita 2270, 60511-110-Fortaleza-Ceara, Brazil. Ph: (085) 299.18.01; Fax: (085) 299.18.03; Email: [Walde@cnpat.embrapa.br](mailto:Walde@cnpat.embrapa.br). Research with cucurbit species, especially *Cucumis*, and particularly *Cucumis melo*.

**Om, Young-Hyun** Natl Horticultural Res Inst, 475 Imok-Dong, Suwon 440-310, Republic of Korea. Ph: 82-0331-290-6171; Fax: 82-0331-295-9548; Email: [omyh@nhri.go.kr](mailto:omyh@nhri.go.kr). Breeding of cucurbit vegetables.

**Omara, Sadig Khidir** Dept. Horticulture, Fac. Agric. Sci., University of Gezira, Wad Medani, P.O. Box 20, Sudan.

**Ouyang, Wei** United Genetics Seeds Co., 18 W. Hacienda Lane, Woodland, CA, 95695. Ph: (707) 693-6815; Fax: (707) 693-6814; Email: [weiouyang1@yahoo.com](mailto:weiouyang1@yahoo.com). Squash, watermelon, and melon breeding.

**Owens, Ken** United Genetics Seeds Co., 8000 Fairview Road, Hollister, CA, 95023. Ph: (831) 636-4882; Fax: (831) 636-4883; Email: [kobreeding@hotmail.com](mailto:kobreeding@hotmail.com). Cucumber breeding.

**Pachner, Martin** Hadikgasse 44/3, A-1140 Wien, Austria. Ph: 43/(0)2272/66280/256; Fax: 43/(0)2272/66280/203; Email: [pachner@ifa-tulln.ac.at](mailto:pachner@ifa-tulln.ac.at).

**Palomares, Gloria** Dept Biotecnologia, Univ Politecnica, Camino de Vera, s/n., E-46022 Valencia, Spain. Ph: 34(6)387-7426; Fax: 34(6)387-7429; Email: [gpaloma@btc.upv.es](mailto:gpaloma@btc.upv.es). Genetic improvement in horticultural plants.

**Paris, Harry** Dept. Vegetable Crops, A.R.O., Newe Ya'ar Research Ctr, PO Box 1021, Ramat Yishay 30-095, Israel. Ph: 972-4-9894516; Fax: 972-4-9836936; Email: [hsparis@netvision.net.il](mailto:hsparis@netvision.net.il). Breeding and genetics of squash and pumpkin.

**Pathak, Chandra** c/o Nath Sluis Ltd., Nath House, Nath Road, Aurangabad, 431005, India.

**Pavlovic, Nenad** Center for Vegetable Crops, Karadjordjeva St. 71, 11420 Smederevska Palanka, Yugoslavia. Ph: +381 26 323 170; Fax: +381 26 323 785; Email: [cfvcsp@eunet.yu](mailto:cfvcsp@eunet.yu).

**Peiro Abril, José Luis** Apartado de Correos no. 2, E 04720 Aguadulce, Almeria, Spain. Ph: +34 950 34 22

35; Fax: +34 950 34 22 35; Email: [peiroab@larural.es](mailto:peiroab@larural.es). Breeding melons, watermelons and cucumber.

**Perl-Treves, Rafael** Dept. Life Science, Bar-Ilan University, Ramat-Gan, Israel 52900. Ph: 972-3-5318249; Fax: 972-3-5351824; Email: [perl@brosh.cc.biu.ac.il](mailto:perl@brosh.cc.biu.ac.il).

**Peter, K.V.** Natl. Research Ctr for Spices, ICAR, Post Bag No. 1701, Marikunnu P.O., Calicut - 673 012, Kerala, India. Ph: 011-91-495-258457.

**Peterson, Paul S.** Plant Pest Diagnostic Center, 3294 Meadowview Road, Sacramento, CA, 95832-1448. Ph: (916) 262-1139; Fax: (916) 262-1190; Email: [ppeterso@cdfa.ca.gov](mailto:ppeterso@cdfa.ca.gov). Laboratory germination and seed quality assessment.

**Picard, Florence** Vilmorin, Route du Manoir, 49 250 La Menitre, France. Email: [vilmorin01@brettcomp.com](mailto:vilmorin01@brettcomp.com).

**Pitrat, Michel** INRA, Domaine St. Maurice, BP 94, 84143 Montfavet cedex, France. Ph: (33) 90 31 63 30; Fax: (33) 90 31 63 98; Email: [Michel.Pitrat@avignon.inra.fr](mailto:Michel.Pitrat@avignon.inra.fr). Melon, disease resistance, mutants, genetic map.

**Poostchi, Iraj** 97 St. Marks Road, Henley-on-Thames RG9 1LP, England. Ph: (01491) 574959; Fax: (10491) 574500. Breeding cantaloupes, melons and watermelons.

**Poulos, Jean M.** Asgrow Italia, Veg. Seeds Srl, Pontinia Research Station, C.P. 110-04014 Pontinia, Italy. Ph: 39(0)773 848549; Fax: 39(0)773 848548; Email: [jpoulos@svseeds.nl](mailto:jpoulos@svseeds.nl).

**Price, E. Glen** Sugar Creek Seed, Inc., P.O. Box 508, Hinton, OK, 73047. Ph: (405) 542-3920; Fax: (405) 542-3921; Email: [SGRCRKSD@hintonet.net](mailto:SGRCRKSD@hintonet.net). Seedless watermelon; polyploidy, genetics, breeding, cytogenetics.

**Provvidenti, Rosario** Cornell Univ., Dept. Plant Pathology, NY State Agric. Experiment Sta., Geneva, NY, 14456-0462. Ph: (315) 787-2316; Fax: (315) 787-2389; Email: [rp13@cornell.edu](mailto:rp13@cornell.edu). Breeding & genetics of resistance to viral diseases of cucumber, squash, melon, watermelon & other cucurbits.

**Ramirez, Pilar** CIBCM, Universidad de Costa Rica, San Jose, Costa Rica. Ph: 506-253-5661 x3496; Fax: 506-224-6749; Email: [pramirez@cariari.ucr.ac.cr](mailto:pramirez@cariari.ucr.ac.cr). Viruses in cucurbits, production of resistant transgenic plants.

**Ray, Dennis** Department of Plant Sciences, University of Arizona, Tucson, AZ, 85721. Ph: (520) 621-7612; Fax: (520) 621-7186; Email: [dtray@u.arizona.edu](mailto:dtray@u.arizona.edu). Genetics and cytogenetics of *Cucumis melo* and *Citrullus* spp.

**Reiten, Joel** Territorial Seed Co., P.O. Box 157, Cottage Grove, OR, 97424. Ph: (541) 942-9547; Fax: (541) 942-9881; Email: [tsc@ordata.com](mailto:tsc@ordata.com). Bacterial wilt resistance, as well as virus resistance obtained through traditional breeding methods.

**Reuling, Gerhard T.M.** Nunhems Zaden B.V., P.O. Box 4005, 6080 AA Haelen, The Netherlands. Ph: 0475-599222; Fax: 0475-599223. Cucumber breeding.

**Rhodes, Bill B.** Clemson Univ./Horticulture, Poole Agricultural Center, Clemson, SC, 29634-0375. Ph: (864) 656-0410; Fax: (864) 656-4960; Email: [BRhodes@clemson.edu](mailto:BRhodes@clemson.edu). Watermelon genetics, breeding, micropropagation, disease resistance, male sterility, triploids.

**Robinson, R.W.** Dept. Hort. Sci., New York State AES, Hedrick Hall, Geneva, NY, 14456-0462. Ph: (315) 787-2237; Fax: (315) 787-2397; Email: [rwr1@cornell.edu](mailto:rwr1@cornell.edu). Breeding and genetics of cucurbits.

**Robledo, Claude** Seminis - Recherche France, Mas de Rouzel - Chemin des Canaux, 30900 Nimes, France. Ph: 33(0)4.66.38.79.80; Fax: 33(0)4.66.38.79.81; Email: [crobledo@svseeds.nl](mailto:crobledo@svseeds.nl). Melon breeding.

**Roig, Luis A.** Departamental Biotechnology, ETS Ingen. Politec., Camino de Vera 14, 46022 - Valencia, Spain. Ph: 34(6) 3877424; Fax: 34(6) 3877429.

**Rorem, Kent** Seminis Vegetable Seeds, P.O. Box 667, Arvin, CA, 93203. Ph: (805) 854-2390; Fax: (805) 854-4379. Melon and watermelon breeding and disease resistance.

**Saito, Takeo** National Research Institute, Veg., Orn. Plants & Tea, Ano, Mie 514-2392, Japan. Ph: +81-59-268-1331; Fax: +81-59-268-1339; Email: [romario@nivot.affrc.go.jp](mailto:romario@nivot.affrc.go.jp). Breeding melons resistant to diseases and insects; use of DNA markers for melon breeding.

**Sanghani, Amul** Unicorn Agrotech Ltd., 1-7-139/3, S.D. Road, Hyderabad, A.p., India 500 003. Ph: +91 40 7811554; Fax: +91 40 7842399; Email: [uniagro@hdl.vsnl.net.in](mailto:uniagro@hdl.vsnl.net.in).



**Sarfatti, Matti** Hazera Ltd., Research Dept., Mivhor, M.P., Lakhish Daram 79354, Israel.

**Schultheis, Jonathan R.** Dept. Horticulture, 264 Kilgore Hall, North Carolina St. University, Raleigh, NC, 27695-7609. Ph: (919) 515-3131; Fax: (919) 515- 7747; Email: [jonathan\\_schultheis@ncsu.edu](mailto:jonathan_schultheis@ncsu.edu). Cultural management of cucurbits; plant spacing, establishment, nutrition, pollination & cultivar evaluation.

**Shetty, Nischit V.** Asgrow Vegetable Seeds, 432 TyTy Omega Road, Tifton, GA, 31794.

**Shifriss, Oved** 21 Walter Avenue, Highland Park, NJ, 08904-1709. Precocious pigmentation in *Cucurbita*.

**Simon, Philipp W.** USDA/ARS-Veg Crops, Dept. Hort., Univ. Wisconsin, 1575 Linden Dr., Madison, WI, 53706. Ph: (608) 262-1248; Fax: (608) 262-4743; Email: [psimon@facstaff.wisc.edu](mailto:psimon@facstaff.wisc.edu). Breeding and genetics.

**Sipeyre, Bruno** Mas de Rouzel, Chemin des Canaux, 30900 Nimes, France. Ph: 66.84.21.32; Fax: 66.38.09.42.

**Skirvin, Robert M.** Univ. Illinois, Dept. Horticulture, 258 PABL, 1201 Gregory Dr., Urbana, IL, 61801. Ph: (217) 333-1530; Fax: (217) 333-4777; Email: [skirvin@uiuc.edu](mailto:skirvin@uiuc.edu). Micropropagation; somaclonal variation.

**Staub, Jack E.** USDA-ARS, Dept. Horticulture, Univ. Wisconsin, Madison, WI, 53706-1590. Ph: (608) 262-0028; Fax: (608) 262-4743; Email: [jestaub@facstaff.wisc.edu](mailto:jestaub@facstaff.wisc.edu). Cucumber breeding & genetics, physiology, biochemical genetic markers, evolution, environmental stress.

**Stephenson, Andrew G.** 208 Mueller Lab, Penn State University, University Park, PA, 16802. Ph: (814) 863-1553; Fax: (814) 865-9131; Email: [as4@psu.edu](mailto:as4@psu.edu).

**Stevens, M. Allen** Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Ph: (530) 666-0931; Fax: (530) 668-0219. Direction of research.

**Stravato, Vittorio Mario** via Carlo Levi n. 18, 04022 Fondi -Latina, Italy. Ph: 771-510729; Fax: 771-555036; Email: [sumas@tiscalinet.it](mailto:sumas@tiscalinet.it). Disease resistance in Cucurbitaceae species.

**Summers, William L.** Iowa State University, Dept. Horticulture, Rm. 251, Ames, IA, 50011-1100. Ph: (515) 294-1978; Fax: (515) 294-0730; Email:

[summers@iastate.edu](mailto:summers@iastate.edu). Genetic improvement of watermelon

**Sušić, Zoran** Inst. Srbija - Ctr Vegetable Crops, Karadjordjeva St. 71, 11420 Smederevska Palanka, F.R. Yugoslavia. Ph: +381-26-323-170; Fax: +381-26-323- 785; Email: [cfvcsp@eunet.yu](mailto:cfvcsp@eunet.yu). Genetics and breeding of *Cucurbita* species; cucumber breeding.

**Tatlioglu, Turan** Institut of Applied Genetics, Univ. Hannover, Herrenhauser Str. 2, 3000 Hannover, Germany. Ph: (+49)511762-5675; Fax: (+49)511762-3608; Email: [turan.tatlioglu@inbox.genetik.uni-hannover.de](mailto:turan.tatlioglu@inbox.genetik.uni-hannover.de). Hybrid breeding, male sterility (GMS, CMS) and sex inheritance

**Taurick, Gary** Harris Moran Seed Co., P.O. Box 392, Sun Prairie, WI, 53590. Ph: (608) 837-6574; Fax: (608) 837-3758. Development of commercial hybrids of pickle, slicer and Beit Alpha cucumbers.

**Teppner, Herwig** Inst. Botany, Karl-Franzens Univ., Holteigasse 6, A-8010 Graz, Austria. Ph: 316-380-5656; Fax: 316-380-9883; Email: [herwig.teppner@kfunigraz.ac.at](mailto:herwig.teppner@kfunigraz.ac.at). Systematics, morphology, ecology, crops & medicinal plants (teaching) and small scale breeding.

**Thomas, Claude E.** USDA-ARS, U.S. Vegetable Laboratory, 2875 Savannah Highway, Charleston, SC, 29414. Ph: (803) 556-0840; Fax: (843) 763-7013; Email: [cthomas@awod.com](mailto:cthomas@awod.com). Disease resistance in cucurbits.

**Thompson, Gary A.** Univ Arkansas LR, Dept Appl Sci, 575 ETAS Bldg, 2801 S. University Ave, Little Rock, AR, 72204-1099. Ph: (501) 371-7506; Fax: (501) 569-8020; Email: [gathompson@ualr.edu](mailto:gathompson@ualr.edu). Biotechnology.

**Tolla, Greg** Asgrow SVS, 432 TyTy Omega Rd., Tifton, GA, 31794. Ph: (912) 386- 8701; Fax: (912) 386-8805. Cucumber breeding and genetics.

**Vakalounakis, Demetrios J.** Plant Protection Inst., N.A.R.F., P.O. Box 1802, 711 10 Heraklio, Crete, Greece. Ph: +3081-240.986; Fax: +3081-245.858; Email: [vakaloun@nefeli.imbb.forth.gr](mailto:vakaloun@nefeli.imbb.forth.gr).

**van Kooten, Henk C.** Seminis Veg Seeds - Bruinsma, Wageningse Afweg 31, 6702 PD Wageningen, The Netherlands. Email: [hvkooten@svseeds.nl](mailto:hvkooten@svseeds.nl). Breeding pickling cucumber.

**van Luijk, Marleen** Linda Vista Farm, East West Seed Co., P.O. Box 9073, 3006 Baliuag, Philippines. Ph: 63 44 7641370; Fax: 63 44 7641250; Email:

*research.ph@eastwestseed.com*. Breeding of cucurbits adapted to tropical conditions.

**Vardi, Eyal** Hazera Quality Seeds, Mivhor Farm, M.P. Lachish Daron 79354, Israel. Ph: +972-7-6813228; Fax: +972-7-6814057; Email: *vardi@hazera.com*.

**Vecchio, Franco** c/o Sementi Nunhems, via Ghiarone, 2, S. Agata Bolognese, BO, Italy 40019. Ph: #39-051-6817411; Fax: #39-051-6817400; Email: *Franco.Vecchio@nunhems.com*. Breeding zucchini.

**Walters, Terrence** The Cucurbit Network, 11901 Old Cutler Road, Miami, FL, 33156-4242. Ph: (305) 667-3800; Fax: (305) 661-5984; Email: *walters@servax.fiu.edu*. Communication via The Cucurbit Network; the whole family Cucurbitaceae.

**Wang, Gang** 84 Orange Street, Woodbridge, NJ, 07095. Email: *w2140@hotmail.com*. Watermelon and melon breeding.

**Wang, Ming** Department of Horticulture, Northwestern Agricultural University, Yangling, Shaanxi 712100, P.R. China. Ph: (0910) 709-3426; Fax: (0910) 701-2559. Watermelon genetics and breeding.

**Warid, Warid A.** 11 Cairo University Street, Apartment #4, Giza - 12211, Egypt. Breeding of cucurbits.

**Wasilwa, Lusike** Rutgers Blueberry/Cranberry Res Ctr, 125a Lake Oswego Rd., Chatsworth, NJ, 08019. Ph: (609) 726-1590; Fax: (609) 726-1593; Email: *wasilwa@aesop.rutgers.edu*. Disease screening, fungal genetics, evaluation of fungal diversity of *Colletotrichum* spp.

**Watterson, Jon** Seminis Vegetable Seeds, Inc., 37437 Highway 16, Woodland, CA, 95616. Ph: (530) 669-6157; Fax: (530) 666-6791. Cucumber, melon, watermelon, squash, pumpkin, gourd germplasm and disease resistance.

**Wehner, Todd C.** Dept. Horticultural Science, Box 7609, North Carolina St. Univ., Raleigh, NC, 27695-7609. Ph: (919) 515-5363; Fax: (919) 515-2505; Email: *todd\_wehner@ncsu.edu*. Pickling/slicing

cucumber, watermelon, luffa gourd; selection, disease resistance, yield, genetics & chilling.

**Wessel-Beaver, Linda** Agronomy & Soils Dept., Univ. Puerto Rico, PO Box 9030, Mayaguez, PR, 00681-9030. Ph: (787) 832-4040; Fax: (787) 265-0220; Email: *l\_beaver@rumac.upr.clu.edu*. Pumpkin & squash breeding; disease resistance; insect resistance.

**Williams, Tom V.** Syngenta Seeds, 10290 Greenway Road, Naples, FL, 34114-3199. Ph: (941) 775-4090; Fax: (941) 774-6852; Email: *tom.williams@syngenta.com*. Watermelon breeding.

**Winkler, Johanna** Saatzucht Gleisdorf GesmbH, Am Tieberhof 33, 8200 Gleisdorf, Austria. Ph: +43 (0)3112 21050; Fax: +43 (0)3112 21050; Email: *winkj.szgl@ccf.co.at*.

**Wolff, David W.** Sakata Seed America, Inc., P.O. Box 1118, Lehigh Acres, FL, 33970-1118. Ph: (941) 369-0032 x13; Fax: (941) 369-7528; Email: *dwolff@sakata.com*. Watermelon breeding and genetics; molecular markers.

**Wu, Mingzhu** Hort Inst, Xinjiang Acad Agric Sci, Nanchang Road NO. 38, Urumqi, Xinjiang, People's Rep. China. Ph: 0991-4840311-2094.

**Yamanaka, Hisako** Yamato-Noen Co., Ltd., 110, Byodobo-cho, Tenri-City, Nara, Japan 632-0077. Ph: 07436-2-1182; Fax: 07436-3-3445.

**Yorty, Paul** Qualiveg Seed Production, 3033 E., 3400 N., Twin Falls, ID, 83301. Ph: (208) 733-0077; Fax: (208) 733-0077. Cucurbit breeding.

**Zhang, Jiannong** Melon Research Institute, Gansu University of Agriculture, Lanzhou, Gansu, 730070, P.R. China.

**Zhang, Xingping** Syngenta Seeds, 21435 Rd 98, Woodland, CA, 95695. Ph: (530) 666-0986; Fax: (530) 666-5273; Email: *Xingping.Zhang@syngenta.com*. Watermelon and melon genetics & breeding.

**Zitter, Thomas A.** Cornell Univ., Dept. Plant Pathology, 334 Plant Science Building, Ithaca, NY, 14853-5908. Ph: (607) 255-7857; Fax: (607) 255-4471; Email: *taz1@cornell.edu*. Fungal and viral diseases; disease resistance.