

Cucurbit Genetics Cooperative 2001-2002 Membership Directory

Aboul-Nasr, M. Hossam. Dept. Horticulture, Fac. Agriculture, Assiut University, Assiut, Egypt. Phone: 2088310952; Fax: 2088332875; Email: abou-lnasr@mailcity.com. Vegetable production and plant tissue culture.

Akkermans, Doretta. PT East West Seed Indonesia, P.O. Box 1, Campaka, Purwakarta 41181, W. Java, Indonesia. Phone: 0264-201871; Fax: 0264-201875; Email: doretta@ibm.net. Cucumber, watermelon and melon breeding.

Andres, Thomas C. The Cucurbit Network, 5440 Netherland Ave., #D24, Bronx, NY, 10471-2321. Phone: (718) 601-7329; Fax: (718) 601-7329; Email: tom@andres.com. *Cucurbita* systematics.

Attard, Everaldo. 14, Calendula, Triq ir-Rebbiegha, Siggiewi (QRM 13), Malta. Phone: +356 32402323; Fax: +356 21346519; Email: everaldo.attard@um.edu.mt. Research on the economic importance of *Ecballium elaterium* (squirting cucumber).

Ayuso, Maria Cruz. Seminis Vegetable Seeds Iberica, Ctra Nac 301, Km 432a, 30319 Miranda-Cartagena Murcia, Spain. Phone: 34-968-550080; Fax: 34-968-550676; Email: mariacruz.ayuso@seminis.com.

Bao, HaiQing. Xinjiang Western China Seed Group, No. 25 Luzhou Road, Changji, Xinjiang 831100, P.R. China. Phone: (0994) 2345202; Fax: (0994) 2348415. Watermelon & melon breeding, hybrid seed production techniques, variety evaluation.

Barham, Warren S. Barham Seeds, Inc., 7401 Crawford Dr., Gilroy, CA, 95020-5421. Phone: (408) 847-3056; Fax: (408) 847-6988; Email: wsbarham@garlic.com. Watermelon and melon breeding.

Baudracco-Arnas, Sylvie. ASL, Site Agroparc Bat. 1, 755, Chemin des Meinajaries, BP. 1202, 84911 Avignon Cedex 9, Cedex 9, France. Phone: 04.90 84 00 46; Fax: 04.90 84 00 47; Email: sba.asl@pol.fr. Melon molecular biologist.

Beaver, Linda. See *Wessell-Beaver, Linda*

Berenji, Janos. Inst. Field & Vegetable Crops, 21470 Backi Petrovac, Yugoslavia. Email: berenji@EUnet.yu.

Bi, Irie A. Zoro. Universitite Abobo-Adjame, UFR des Sciences de la Nature, 02 BP 801 Abidjan 02, Cote d'Ivoire, West Africa. Email: banhiakalou@yahoo.fr. Germplasm collection and classification for *Cucumis melo* var. *agrestis*, *Citrullus lanatus* ssp. *Lanatus*, *Citrullus* spp., *Cucumeropsis manni*, and *Lagenaria siceraria*.

Blazey, Douglas A. Yates Vegetable Seeds, Research Farm, Burroway Road, Narromine, N.S.W. 2821, Australia. Phone: (068) 89-1144.

Boissot, Nathalie INRA, Domaine Duclos, Petit-Bourg BP 515, 97165 Pointe-Pitre cedex, Guadeloupe (F.W.I.). Phone: (0)590 25 59 45; Fax: (0)590 94 11 72; Email: boissot@antilles.inra.fr.

Bosma, Monique ENZA ZADEN, De Enkhuizer Zaadh. b.v., Postbox 7, 1600 AA Enkhuizen, The Netherlands. Phone: 02280-315844; Fax: 0228-315960; Email: Bosma@enzazaden.nl.

Boyhan, George E. University of Georgia, P.O. Box 8112, GSU, Statesboro, GA, 30460. Phone: (912) 681-5639; Fax: (912) 681-0376; Email: gboyhan@uga.cc.uga.edu. Melon and watermelon breeding.

Brown, Rebecca Dept. Hort., Oregon St. Univ., Ag Life Sci Bldg 4017, Corvallis, OR, 97331. Phone: (541) 737-5462; Email: brownr@bcc.orst.edu. Virus resistance, *Cucurbita* germplasm, squash breeding.

Bruton, Benny USDA, ARS, P.O. Box 159, Lane, OK, 74555. Phone: (580) 889-7395; Fax: (580) 889-5783; Email: bbruton-usda@lane-ag.org. Vine declines of cucurbits; postharvest fruit rots.

Burger, Yosi. New Ya'ar Research Center, P.O. Box 1021, Ramat Yishay 30095, Israel. Phone: 972-4-9539517; Fax: 972-4-9836936; Email: burgery@volcani.agri.gov.il.

Çağlar, Gülat. KSU, Ziraat Fakültesi, Bahçe Bitkileri Bölümü, 46060, Kahramanmaraş, Turkey.

Phone: 90-344-237666/384; Fax: 90-344-2230048;
Email: gulat@ksu.edu.tr. Cucumber breeding.

Carey, Edward E. "Ted". Kansas State R&E Center at Olathe, 35125 W. 135th St., Olathe, KS, 66061. Phone: (816) 806-3734; Fax: (785) 532-6949; Email: tcarey@oznet.ksu.edu. Breeder with interest in cucurbits.

Carle, R. Bruce. Hollar Seeds, PO Box 0106, Rocky Ford, CO, 81067-0106. Phone: (719) 254-3539; Fax: (719) 254-3539; Email: bruce@hollarseeds.com. Watermelon and squash breeding.

Chen, Fure-Chyi. Dept. Plant Industry, Natl. Pingtung Univ. Sci. & Techn., Neipu, Pingtung 91207, Taiwan, Rep. China. Phone: 886-8-774-0267; Fax: 886-8-774-0371; Email: furechen@mail.npust.edu.tw. Gene transfer, breeding, tissue culture and isozymes.

Chen, Jin Feng. Nanjing University, Nanjing 210095, China. Phone: 86-25-4396279; Fax: 86-25-4432420.

Ching, Alejandro "Alex". Alternative Crops Res Ctr, NW MO St U, 106 Valk, 800 Univ Dr, Maryville, MO, 64468. Phone: (660) 562-1126; Fax: (660) 562-1621; Email: alching@mail.nwmissouri.edu. Breeding & introduction of new cucurbits. Production & nutritional quality.

Cho, Myeong-Cheoul. National Horticultural Research Inst. RDA, #540-41, Tap-Dong, Suwon, 441-440, Republic of Korea. Phone: 82)031-290-6180; Fax: 82)031-290-6100; Email: chomc@rda.go.kr. Breeding disease resistant squash varieties.

Chuanhai, Vinich. Chiatai Seeds Co., Ltd., 295-303 Songsawad Road, Samphantawong District, Bangkok, Thailand 10100. Phone: (662) 233-8191; Fax: (662) 639-6063; Email: chiatai@ksc.th.com.

Chung, Paul. Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Phone: (530) 666-6120; Fax: (530) 668-0219; Email: paul.chung@svseeds.com. Melon breeding.

Coffey, Robyn. Willhite Seed, Inc., P.O. Box 23, Poolville, TX, 76487. Phone: (817) 599-8656; Fax: (817) 599-5843; Email: robyn@willhiteseed.com.

Cohen, Roni. Neve Ya'ar Research Center, P.O. Box 1021, Ramat Yishay 30095, Israel. Phone: 972-4-953-9516; Fax: 972-4-983-6936. Email:

robico@volcani.agri.gov.il. Plant pathology; root and foliar diseases of cucurbits.

Cohen, Yigal. Department of Life Sciences, Bar-Ilan University, Ramat-Gan 52 100, Israel. Phone: 9723-5318251; Fax: 9723-6771088. Melon.

Cook, Kevin L. Syngenta Seeds, Veg-NAFTA, 10290 Greenway Road, Naples, FL, 34114. Phone: (941) 775-4090; Fax: (941) 774-6852; Email: kevin.cook@syngenta.com. Breeding of summer squash.

Crosby, Kevin. Texas A&M University, 2415 East Hwy 83, Weslaco, TX, 78596. Phone: (956) 968-5585; Fax: (956) 969-5620; Email: k-crosby@tamu.edu. Microthecium stem canker on melon.

Cui, Hongwen. Dept. Horticulture, Northwestern Agric. Univ., Yangling, Shaanxi 712100, P.R. China. Cucumber breeding.

Dane, Fenny. Auburn University, 101 Funchess Hall, Auburn, AL 36849. Phone: (344) 844-3046; Fax: (344) 844-3131; Email: fdane@acesag.auburn.edu. *Citrullus* genomics.

Davis, Angela. USDA, ARS, P.O. Box 159, Hwy. 3 West, Lane, OK, 74555. Phone: (580) 889-7395; Fax: (580) 889-5783; Email: adavis-usda@lane-ag.org. Germplasm improvement.

de Groot, Erik. Breeding, Sementi Nunhems S.R.L., Via Ghiarone, 2, 40019 S. Agata Bolognese, Italy.

De Hoop, Simon Jan. East-West Seed Co., 50/1 Moo 2, Sainoi-Bang Buathong Rd., A Sainoi Nonthaburi, 11150 Thailand. Phone: (66)-2-597-1255; Fax: (66)-2-597-1229; Email: simond@eastwestseed.co.th. Cucurbit breeding.

De Langen, Frank. Mas St. Pierre, 13210 St Remy de Provence, France. Email: frank.delangen@clause.fr.

Decker-Walters, Deena. The Cucurbit Network, P.O. Box 560483, Miami, FL, 33256. Phone: (305) 669-9281; Fax: (305) 661-5984; Email: cucurbitnetwork@netscape.net. Communication via The Cucurbit Network; the whole family Cucurbitaceae.

Della Vecchia, Paulo T. Agroflora S/A, Caixa Postal 427, 12.900-000 Braganca, Paulista - SP, Brazil. Phone: (011) 7871-0855; Fax: (011) 7843-6572. Breeding & genetics, seed production and disease resistance of melon and squash.

Den Hertog, Maarten. Ryk Zwaan, Paraje el Algarroo 47, El Ejido, Almeria 04700, Spain. Phone: 34-9505-81-58; Fax: 34-9505-81920; Email: s.gribnau@rykzwaan.nl.

Denlinger, Phil. Mt. Olive Pickle Co., Inc., P.O. Box 609, Mount Olive, NC, 28365. Phone: (919) 658-2535; Fax: (919) 658-6090.

Di Nitto, Louis Victor. Sunseeds, 8850 59th Ave., N.E., Brooks, OR, 97305. Phone: (503) 393-3243; Fax: (503) 390-0982. email: louie.dinitto@sunseeds.com. Melon (*Cucumis melo*).

Dogan, Remzi. Kaplikaya Mah. Sukent Sites 1, K Blok, No: 7, Bursa, Turkey 16320. Phone: +90 224 3679879; Fax: +90 224 2236570; Email: remzi@may.com.tr. Hybrid breeding and resistance breeding of cucumbers, watermelons, cantaloupes, squashes.

Drowns, Glenn. Sand Hill Preservation Center, 1878 230th Street, Calamus, IA, 52729. Phone: (319) 246-2299; Email: gdrowns@cal-wheat.k12.ia.us. Genetic preservation of all cucurbits. Taxonomy of *Cucurbita moschata* and *Cucurbita argyrosperma*.

Duangsong, Usa, Limagrain Veg. Seeds Asia, 119/9 Moo 1, Baan Khao, Muang, Kanchanaburi 71000, Thailand. Phone: 66-2-636-2521-1; Fax: 66-2-636-2524; Email: duangsong@marcopoloseed.com.

Eigsti, Orié J. 1602 Winsted, College Green, Goshen, IN, 46526. Phone: (219) 533-4632. Fusarium wilt resistance in tetraploid *Citrullus lanatus* lines, to eliminate crop rotation.

Elmstrom, Gary. c/o Sunseeds, 7087 E. Peltier Road, Acampo, CA, 95220. Phone: (209) 367-8369; Fax: (209) 367-1066; Email: gelmstrom@afes.com. Triploid watermelon breeding.

Ezura, Hiroshi. Plant Biotech Inst, Ibaraki Agric Ctr, Ago, Iwama, Nishi-ibaraki, 319-0292, Ibaraki, Japan. Phone: 0299-45-8330; Fax: 0299-45-8351; Email: ezura@nocs.tsukuba-noc.affrc.go.jp.

Fito, Laia. Plant Molec Marker & Pathol Dept, Semillas Fito S.A., c/Selva de Mar, Ill, 08019 Barcelona, Spain. Phone: 34 93 3036360; Fax: 34 93 3036373; Email: eulalia@fito.es. Disease resistance and quality of melons (esp. Spanish) & cucumber; breeding schemes & genetic markers.

Gabert, August C. Sunseeds, USA. 8850 59th Ave. NE, Brooks, OR, 97305-9625. Phone: (503) 390-3243; Fax: (503) 390-0982. Email:

augie.gaber@sunseeds.com. Cucumber breeding and genetics.

Gabor, Brad. Seminis Vegetable Seeds, 37437 State Hwy 16, Woodland, CA, 95695. Phone: (530) 669-6233; Fax: (530) 666-1620; Email: brad.gabor@seminis.com. Plant pathology.

Ganapathi, A. Dept. Biotechnology, Bharathidasan University, Tiruchirappalli - 620 024, India. Phone: 91-0431-660386; Fax: 91-0431-660245; Email: ganap@bdu.ernet.in.

Garza Ortega, Sergio. Univ Sonora, Dept Agric y Ganaderia, Iturbide #32 Jalisco/N. Heroes, Hermosillo, Sonora 83040, Mexico. Phone: 52-662-213-3013; Fax: 52-662-213-8006; Email: sgarza@rtn.uson.mx. Breeding of *Cucurbita* spp.; testing of new muskmelon lines.

Gatto, Gianni. Esasem Spa, Via San Biagio 25, 37052 Casaleone (VR), Italy. Phone: 0442/331633; Fax: 0442/330834.

Gautier, Jacques. Gautier Graines, BP 1, 13530 Eyragues, France. Phone: 33 (0) 4 90 420 270; Fax: 33 (0) 4 90 240 271; Email: gautier@gautiergraines.fr.

Goldman, Amy P. 164 Mountain view Road, Rhinebeck, NY 12572. Phone: (845) 266-4545; Fax: (845) 266-5232; Email: agoldthum@aol.com. Heirloom melons and watermelons; ornamental gourds. Garden writing.

Gómez-Guillamón, M. Luisa. Estacion Experimental La Mayora, 29750 Algarrobo- Costa, Malaga, Spain. Phone: 34-952-5526560; Fax: 34-952-5526772; Email: guillamon@mayora.csic.es.

Groff, David. 530 Mt. Olive Church Rd., Tifton, GA, 31794. Phone: (229) 382-9452; Email: dave_groff@yahoo.com. Breeding of squash, cucumber, melon and watermelon.

Grumet, Rebecca. Dept. Hort., Plant & Soils Building, Michigan State University, East Lansing, MI, 48824-1325. Phone: (517) 353-5568; Fax: (517) 353- 0890; Email: grumet@msu.edu. Disease resistance, gene flow, tissue culture and genetic engineering.

Gusmini, Gabriele. 5506 Crabtree Park Ct., Raleigh, NC 27612. Phone: (919) 786-0653; Fax: (919) 515-2505; Email: ggusmin@unity.ncsu.edu. Watermelon breeding.

Hagihara, Toshitsugu. Hagihara Farm Co., Ltd., 984 Hokiji, Tawaramoto, Shiki Nara, 636-0222,

Japan. Phone: 07443-3-3233; Fax: 07443-3-4332; Email: cucurbit@mahoroba.ne.jp.

Haim, Davidi. Hazera Quality Seed Ltd., Mivhor Farm Doar, Sede Gat 79570, Israel.

Hassan, Ahmed Abdel-Moneim. Department of Vegetable Crops, Fac. Agriculture, Cairo University, Giza, Egypt. Phone: 724107 & 724966. Cucumber, melon, squash & watermelon germplasm evaluation and breeding for disease resistance, incl. viruses.

Havey, Michael J. USDA/ARS, Department of Horticulture, University of Wisconsin, Madison, WI, 53706. Phone: (608) 262-1830; Fax: (608) 262-4743; Email: mjhhavey@facstaff.wisc.edu.

Hentschel, Richard. Pickle Packers Intl., Inc., P.O. Box 606, St. Charles, IL, 60174-0606. Phone: (630) 584-8950; Fax: (630) 584-0759; Email: staff@ppii.org. Trade Association for pickle vegetables, primarily cucumbers, peppers and cabbage.

Herman, Ran. Zeraim Gedera Ltd., P) Box 103, Gedera 70750, Israel. Phone: 972-52-927079; Fax: 902-8-8594376; Email: ran@zerim.co.il.

Herrington, Mark. Maroochy Research Station, P.O.Box 5083, SCMC, Nambour, QLD, Australia 4560. Phone: 61 07 54449637; Fax: 61 07 54412235; Email: mark.herrington@dpi.qld.gov.au. Winter squash, breeding, virus resistance.

Hertogh, Kees. Nickerson-Zwaan b.v., PO Box 28, 4920 AA Made, The Netherlands. Phone: 31-162-690811; Fax: 31-162 90970; Email: skees.hertogh@nickerson-zwaan.com.

Himmel, Phyllis. Seminis Vegetable Seeds, 37437 State Highway 16, Woodland, CA, 95695. Phone: (530) 669-6182; Email: phyllis.himmel@svseeds.com. Viral diseases of cucurbits.

Hirabayashi, Tetsuo. Nihon Horticultural Production Inst., 207 Kamishiki, Matsudo-shi, Chiba-ken 270-2221, Japan. Phone: 0473-87-3827; Fax: 0473-86-1455. Varietal improvement of cucurbit crops, especially melon, cucumber and pumpkin.

Hollar, Larry A. Hollar & Co., Inc., P.O. Box 106, Rocky Ford, CO, 81067. Phone: (719) 254-7411; Fax: (719) 254-3539; Email: larry.hollar@hollarseeds.com. Cucurbit breeding and seed production.

Holle, Miguel. CALCE 2, #183 Urb. El Rancho, Miraflores - Lima 18, Peru. Phone: 51-14-383749;

Fax: 51-14-351570; Email: m.holle@cgiar.org. Plant genetic resources.

Holman, Bohuslav. Bzinska Str. 1420, Bzenec, CZ-696 81, Czech Republic. Phone: 420-631-384470; Fax: 420-631-384972; Email: bholman@iol.cz. Cucumber breeding and seed production

Humaydan, Hasib. Ag Consulting International, 317 Red Maple Drive, Danville, CA, 94506. Phone: (925) 736-1241; Fax: (925) 736-1241; Email: humaydan@aol.com.

Hutton, Mark. University of Maine, PO Box 179, Monmouth, ME, 04259. Phone: (207) 933-2100; Email: mhutton@umext.maine.edu. Cucurbit breeding and production.

Iamsangsri, Suphot. Limagrain Veg. Seeds Asia, 119/9 Moo 1, Baan Khao, Muang, Kanchanaburi 71000, Thailand. Phone: 66-2-636-2521-1; Fax: 66-2-636-2524.

Ignart, Frederic. Centre de Recherche TEZIER, Route de Beaumont, Domaine de Maninet, 26000 Valence, France. Phone: (33) 75575757; Fax: (33) 75552681; Email: frederic.ignart@tezier.com. Squash and melon breeding.

Ikegami, Takayuki. Sakata Seed Corp., 1743-2 Yoshioka, Kakegawa, Shizuoka, 436-0115, Japan. Phone: 81-0537-26-1111; Fax: 81-0537-26-1110. Cell biology.

Ito, Kimio. Vegetable Breeding Laboratory, Hokkaido Natl. Agric. Expt. Sta., Hitsujigaoka, Sapporo, Japan 062-8555. Phone: 011(851)9141; Fax: 011(859)2178; Email: kito@cryo.affrc.go.jp.

Jahn, Molly Kyle. Cornell Univ, Dept Plant Brdng, 312 Bradfield Hall, Ithaca, NY, 14853-1902. Phone: (607) 255-8147; Fax: (607) 255-6683; Email: mmk9@cornell.edu. Melon and squash breeding and genetics.

Jain, Jaagrati. B-149 M. P. Enclave, Pitampura, Delhi-110034, India. Email: jaagrati@rediffmail.com. Melon genetics & tissue culture.

Johnston, Rob, Jr. Johnny's Selected Seeds, 184 Foss Hill Road, Albion, ME, 04910-9731. Phone: (207) 437-9294; Fax: (207) 437-2422; Email: rjohnston@johnnyseeds.com. Squash and pumpkins.

Kampmann, Hans Henrik. Breeding Station Danefeld, Odensevej 82, 5290 Marslev, Denmark. Phone: 65 95 17 00; Fax: 65 95 12 93.

Kanda, Minoru. Kanda Seed Co., Ltd., 262 Shinga, Kashihara, Nara, 634-0006, Japan. Phone: 0744-22-2603; Fax: 0744-22-9073; Email: NAG00014@NIFTY.COM.

Kapiel, Tarek. P.O.Box 550, MAADI. Cairo, Egypt. Email: kapiel@hotmail.com

Karchi, Zvi. 74 Hashkedim St., Kiryat-Tivon 36501, Israel. Phone: 04-9830107; Fax: 972-4-9836936. Cucurbit breeding, cucurbit physiology.

Kato, Kenji. Fac. Agriculture, Okayama Univ., 1-1-1 Tsushima Naka, Okayama, 700, Japan. Phone: 81-86-251-8323; Fax: 81-86-254-0714; Email: kenkato@cc.okayama-u.ac.jp. Use of molecular markers for QTL mapping and cultivar identification in melon.

Katzir, Nurit. Newe Ya'ar Research Center, ARO, P.O. Box 1021, Ramat Yishay, 30095, Israel. Phone: 972-4-9539554; Fax: 972-4-9836936; Email: katzirn@volcani.agri.gov.il.

Keita, Sugiyama. Kurume Branch, Natl Res Inst, Veg/OrnPlnts/Tea, Kurume, Fukuoka 839-8503, Japan. Phone: 81-942-43-8271; Fax: 81-942-43-7014. Watermelon.

Khan, Iqrar A. Dept. Crop Sciences, Cool. Agric., Sultan Qaboos Univ., PO Box-34, Al-Khod 123, Sultanate of Oman. Phone: (+968) 515-213; Fax: (+968) 513-418, Email: iqrar@squ.edu.om.

King, Joseph J. Seminis Vegetable Seeds, Inc., 37437 State Highway 16, Woodland, CA, 95695. Phone: (530) 666-6262; Fax: (530) 666-5759; Email: joe.king@seminis.com. Genetics and breeding of melon, cucumber and squash.

King, Stephen R. Texas A&M University, 1500 Research Pkwy, suite A120, college Station, TX 77845. Phone: (979) 845-2937; Fax: (979) 862-4522; Email: srking@tamu.edu. Watermelon breeding.

Kirkbride, Joseph H., Jr. USDA-ARS, Systematic Bot & Mycol Lab, Rm 304, Bldg 011A, BARC-West, Beltsville, MD, 20705-2350. Phone: (301) 504-9447; Fax: (301) 504-5810; Email: jkirkbri@asrr.arsusda.gov. Systematic taxonomy of the Cucurbitaceae.

Klapwijk, Ad. De Ruiters Zonen CV, Postbus 1050, 2660 BB Bergschenhoek, The Netherlands. Phone: 010-5292253; Fax: 010-5292410.

Knerr, Larry D. Shamrock Seed Company, 3 Harris Place, Salinas, CA, 93901-4586. Phone: (831) 771-

1500; Fax: (831) 771-1517; Email: lknerr@shamrockseed.com. Varietal development of honeydew and cantaloupe.

Konno, Yoshihiro. Asahi Ind., Biol. Engin. Lab., 222 Wataruse, Kamikawa-machi, Kodama-gun, Saitama 367-0394, Japan. Phone: 81-274-52-6339; Fax: 81-274-52-4534; Email: y.konno@asahi-kg.co.jp. Watermelon breeding.

Kraakman, Peter. DeRuiters Zohén, Torre Caribe 7D, Aguadulce (Almería), Spain. Email: Peter.Kraakman@deruiterseds.com.

Křístková, Eva. Res Inst Crop Prod, Praha-Ruzyne, Workplace Olomouc, Slechtitelu 11, 738 71 Olomouc, Czech Republic. Phone: 420-68-5228355; Fax: 420-68-5228355; Email: olgeba@ova.pvtnet.cz. Gene bank curating of cucurbitaceous vegetables; powdery mildew resistance in *Cucurbita*.

Kuginuki, Yasuhisa. National Institute Veg/Orn/Tea, Crop Research Station, Ano, Mie 514-2392, Japan. Phone: 0592-68-1331; Fax: 0592-68-1339. Breeding for resistance to disease.

Kuhlmann, Hubert. GlaxoSmithKline Consume Healthcare GmbH & Co. KG, Benzstrasse 25, D-71083 Herrenberg, Germany. Phone: (07032) 922-122; Fax: (07032) 922-202; Email: Hubert.Kuhlmann@gsk.com.

Kuti, Joseph O. 1112 Kathleen, Kingsville, TX 78363. Phone: Breeding and genetics; host-parasite interrelationships; postharvest physiology.

Kwack, Soo Nyeon. Dept Hort Breeding, Mokpo Natl Univ, Dorimri, Chonggyemyun, Muangun, Chonnam 534-729, Korea.

Lanini, Brenda. Harris Moran Seed Co., 9241 Mace Blvd., Davis, CA 95616. Phone: (530) 756-1382; Fax: (530) 756-1016; Email: b.lanini@harrismoran.com.

Lebeda, Aleš. Palacky University, Dept. Botany, Slechtitelu 11, 783 71 Olomouc, Czech Republic. Phone: 420/68/5228825; Fax: 420/68/5241027; Email: lebeda@prfholnt.upol.cz. Cucurbitaceae, genetic resources, diseases, fungal variability, resistance breeding, tissue culture.

Lee, Do-Hyon. Novartis Seeds Co., Ltd., 8th fl. SungAm Bldg. #114, Nonhyun-dong, Kangnam-ku, Seoul, Korea 135-010. Phone: +82 2 3218 5400; Fax: 82 2 516 2286. Disease resistance.

Lee, Sang Yeb. Breeding Res. Inst., Dongbuhannong Chem., #481-3, Deng Bong-RT, YangSeong-Myun, An Seong, Kyung Ki, South Korea 456-930. Phone: 31-674-6911-5; Fax: 31-674-6916; Email: syleehan@hanmail.net.

Legg, Erik. Syngenta Seeds, 12 Chemin de l'Hobit BP 27, Saint-Sauveur 31790, France. Phone: 22-562-799957; Fax: 33-562-799996; Email: erik.legg@syngenta.com. Genetics; phylogeny, resistance, molecular markers.

Lehmann, Louis Carl. Louie's Pumpkin Patch, Brinkgatan 6, SE-268 32, Svalov, Sweden. Phone: 46-418-66 3602; Fax: 46-418-663602; Email: pumpkin.patch@swipnet.se. Cucurbita - testing of squash and pumpkin for use in Southern Sweden.

Lelley, Tamas. Inst Agrobiotech, Dept Plant Biotech, Konrad Lorenz Str. 20, Tulln, Lower Austria, Austria 3430. Phone: +43 2272 66280 204; Fax: +43 2272 66280 203; Email: lelley@ifa-tull.ac.at. Cucurbita spp.

Lester, Gene. USDA/ARS, Subtropical Agric Res Lab, 2413 E. Highway 83, Bldg. 200, Weslaco, TX, 78596. Phone: (956) 447-6322; Fax: (956) 447-6323; Email: glester@welasco.ars.usda.gov Stress, pre/postharvest physiology and human wellness nutrient content of melons.

Levi, Amnon. U.S. Vegetable Laboratory, 2875 Savannah Highway, Charleston, SC, 29414. Phone: (843) 556-0840; Fax: (834) 763-7013; Email: alevi@awod.com.

Lin, Deppei. Xinjiang Xiyu Seed Co Ltd, No. 32 East Ningbian Rd., Changji 831100, China. Phone: 86-994-2388298; Fax: 86-994-2348415; Email: xyyl-cj@mail.xj.cninfo.net. Watermelon, melon and Cucurbita breeding.

Liu, Wenge. Zhengzhou Fruit Research Inst, Chinese Academy of Agric Sci, Zhengzhou, Henan, P.R. China 450009. Phone: (0371) 6815703; Fax: (0371) 6815771; Email: wlrong@public2.zz.ha.cn. Watermelon breeding, male sterility, tetraploids, triploids.

Lopez Anido, Fernando. Universidad Nacional Rosario, CC 14, Zavalla S 2125 ZAA, Argentina. Phone: 54-3414970057; Fax: 54-3414970085; Email: felopez@fcagr.unr.edu.ar. Breeding of Cucurbita pepo L. (caserta type).

Love, Stephen Loyd. Aberdeen R&E Center, P.O. Box AA, Aberdeen, ID, 83210. Phone: (208) 397-

4181; Fax: (208) 397-4311; Email: slove@uidaho.edu. Small scale private watermelon breeding with emphasis on adaptation to cold climates.

Lower, Richard L. Coll. Agriculture, Univ. Wisconsin, 1450 Linden Drive, Room 240, Madison, WI, 53706. Phone: (608) 262-2349; Fax: (608) 265-6434; Email: richard.lower@ccmail.adp.wisc.edu. Effects of plant type genes on yield, sex- expression, growth parameters, pest resistance & adaptability.

Loy, J. Brent. Dept. Plant Biology, Univ. New Hampshire, Durham, NH, 03824. Phone: (603) 862-3216; Fax: (603) 862-4757; Email: jbloy@christa.unh.edu. Squash, melon, pumpkin. Genetics, breeding, plasticulture, mulch, rowcovers.

Maluf, Wilson Roberto. Dept. de Agricultura/UFLA, Caixa Postal 37, 37200-000 Lavras-MG, Brazil. Phone: (035) 829-1326; Fax: (035) 829-1301; Email: wrmaluf@ufla.br. Cucumbers, melons, squashes.

Martin, Heidi. Queensland Horticultural Institute., LMB 7, MS 437, Warrego Hwy., Queensland, Australia 4343. Phone: 61 7 54662222; Fax: 61 7 54623223; Email: Heidi.Martin@dpi.qld.gov.au. Plant pathology, with interest in melon diseases, especially watermelon fruit blotch.

Martyn, Ray D. Dept. Botany & Plant Pathology, Purdue Univ., 915 West State St., West Lafayette, IN, 47907-1155. Phone: (765) 494-4615; Fax: (765) 494-0363; Email: Martyn@btpny.purdue.edu. Soilborne diseases of watermelon and melon, particularly the Fusarium wilts and vine declines.

Matsuura, Seiji. Kiyohara Breeding Sta., Tohoku Seed Co., 1625 Nishihara, Himuro, Utsunomiya, Japan. Phone: 0286-34-5428; Fax: 0286-35-6544.

Mayberry, Mella-Dee. Seminis Vegetable Seeds, 37437 State Hwy 16, Woodland, CA, 95695. Phone: (530) 669-6185; Fax: (530) 666-2308; Email: Mella-Dee.Mayberry@seminis.com.

Maynard, Donald N. University of Florida, 5007 60th Street East, Bradenton, FL, 34203. Phone: (941) 751-7636; Fax: (941) 751-7639; Email: dnmara@mail.ifas.ufl.edu. Tropical moschata improvement; watermelon variety evaluation and production practices.

McClurg, Charles A. University of Maryland, Dept. Natural Resource Sci., College Park, MD, 20742-

4452. Phone: (301) 405-4342; Fax: (301) 314-9308; Email: cm19@umail.umd.edu. Production and culture of cucurbit crops.

McCreight, J.D. USDA-ARS, 1636 E. Alisal St., Salinas, CA, 93905. Phone: (831) 755-2864; Fax: (831) 755-2814; Email: jmccreight@pw.ars.usda.gov. Melon breeding and genetics.

McGrath, Desmond John. Dept. Primary Ind., Hortic. Res. Sta., P.O. Box 538, Bowen, Queensland 4805, Australia. Phone: +61-7-4785 2255; Fax: +61-7-4785 2427; Email: mcgratdj@prose.dpi.qld.gov.au. Disease resistance in *Cucumis melo*, particularly gummy stem blight.

Meadows, Mike. Syngenta Seeds, Inc., 10290 Greenway Road, Naples, FL, 34114. Phone: (941) 775-4090; Fax: (941) 774-6852; Email: mike.meadows@syngenta.com. Vegetable diseases.

Merrick, Laura C. Dept. Agron., Iowa St. Univ, G207 Agronomy Hall, Ames, IA, 50011-1010. Phone: (515) 294-7636; Fax: (515) 294-3163; Email: lmerrick@iastate.edu. *Cucurbita* evolution; cucurbit germplasm evaluation and conservation; ethnobotany and evolution.

Miranda, Baldwin. Sakata Seed America, P.O. Box 1118, Lehigh Acres, FL. 33970. Phone: (941) 369-0032; Fax: (941) 369-7528; Email: bmiranda@sakata.com.

Mochizuki, Tatsuya. NARC – KyushuOkinawa Reg. 2421, Suya, Nishigoshi-machi, Kikuchi-gu, Kumamoto 861-1192, Japan. Phone: 81-96-242-7682; Fax: 81-96-242-7769; Email: tmochi@affrc.go.jp.

Morelock, Ted. Dept. Horticulture & Forestry, University of Arkansas, Fayetteville, AR, 72701. Phone: (501) 575-2603; Fax: (501) 575-8619; Email: morelock@comp.uark.edu. Cucumber breeding.

Munger, H.M. Cornell University, 252 Emerson Hall, Ithaca, NY, 14853. Phone: (607) 255-7820; Fax: (607) 255-6683; Email: hmm11@cornell.edu. Cucurbit breeding and disease resistance.

Myers, James R. Dept. Horticulture, Oregon State Univ., 4137 Ag Life Sciences Bldg., Corvallis, Oregon, 97331. Phone: (541) 737-3083; Email: mversja@bcc.orst.edu.

Nadel, Michael. 10851 Woodbine Street, Los Angeles, CA, 90034. Phone: (310) 838- 7675; Fax:

(310) 202-7466; Email: dansonseed@mediaone.net. Breeding summer squash, cucumbers, melons and watermelons.

Nannes, Jeroen Seminis Vegetable Seeds, P.O. Box 93, 2675 ZH Honselersdijk, The Netherlands. Email: jnannes@svseeds.nl. Breeding slicing cucumber.

Navazio, John P. Chriseed, P.O. Box 98, Mount Vernon, WA, 98273-0098. Phone: (360) 336-9727; Fax: (360) 424-9520; Email: john_navazio@alfseed.com. Breeding for increased pigments in cucurbits, carrots and beets.

Neill, Amanda. The Botanical Research Inst. Of Texas, 509 Pecan St., Fort Worth, TX, 76102-4060. Email: aneill@brit.org. *Gurania* and *psiguria*.

Ng, Timothy J. Dept. Natural Resource Sci., University of Maryland, College Park, MD, 20742-4452. Phone: (301) 405-4345; Fax: (301) 314-9308; Email: tn5@umail.umd.edu. Melon breeding and genetics; postharvest physiology; seed germination.

Niemirowicz-Szczytt, Katarzyna. Warsaw Ag Univ, Dept Gen & Plt Brdng, ul. Nowoursynowska 166, 02-766 Warsaw, Poland. Phone: (48-22) 843 09 82; Fax: (48-22) 843 90 61; Email: niemirowicz@alpha.sggw.waw.pl. Cucumber, melon, winter and summer squash, watermelon - genetics, breeding, tissue culture, biotechnology.

Nuez, Fernando. Cat.de Genetica, ETS Ingen. Agron., Univ. Politecnica, Camino de Vera, 14, 46020 Valencia, Spain. Phone: 34 (6) 387-74-21; Fax: 34 (6) 387-74- 29; Email: fnuez@btc.upv.es. Genetics and plant breeding.

Oliver, Marc. Syngenta Seeds, SAS. 12, Chemin de l'Hobit, 31790 Saint-Sauveur, France. Phone: 33 (0) 562799838; Fax: 33 (0) 562799990; Email: marc.oliver@syngenta.com. Cucurbit genetic technology.

Om, Young-Hyun. Natl Horticultural Res Inst, 475 Imok-Dong, Suwon 440-310, Republic of Korea. Phone: 82-0331-290-6171; Fax: 82-0331-295-9548; Email: omyh@nhri.go.kr. Breeding of cucurbit vegetables.

Omara, Sadig Khidir. Dept. Horticulture, Fac. Agric. Sci., University of Gezira, Wad Medani, P.O. Box 20, Sudan.

Ouyang, Wei. Magnum Seeds, Inc. 5825 Sievers Rd., Dixon, CA, 95620. Phone: (707) 693-6815; Fax: (707) 693-6814; Email:

weiouyang1@yahoo.com. Squash, watermelon, and melon breeding.

Owens, Ken. Magnum Seeds, Inc. 5825 Sievers Road, Dixon, CA, 95620. Phone: (707) 693-6815; Fax: (707) 693-6814; Email: kobreeding@hotmail.com. Cucumber breeding.

Pachner, Martin. Hadikgasse 44/3, A-1140 Wien, Austria. Phone: 43/(0)2272/66280/256; Fax: 43/(0)2272/66280/203; Email: pachner@ifa-tulln.ac.at.

Palomares, Gloria. Dept Biotecnologia, Univ Politecnica, Camino de Vera, s/n., E-46022 Valencia, Spain. Phone: 34(6)387-7426; Fax: 34(6)387-7429; Email: gpaloma@btc.upv.es. Genetic improvement in horticultural plants.

Paris, Harry. Dept. Vegetable Crops, A.R.O., Newe Ya'ar Research Ctr, PO Box 1021, Ramat Yishay 30-095, Israel. Phone: 972-4-9894516; Fax: 972-4-9836936; Email: hsparis@volcani.agri.gov.il. Breeding and genetics of squash and pumpkin.

Piero Abril, Jose Luis. Apartado de Correos no. 2, E 04720 Aguadulce, Almeria, Spain. Phone: +34 950 34 22 35; Fax: +34 950 34 22 35; Email: pieroab@laral.es. Breeding melons, watermelons and cucumber.

Perl-Treves, Rafael. Dept. Life Science, Bar-Ilan University, Ramat-Gan, Israel 52900. Phone: 972-3-5318249; Fax: 972-3-5351824; Email: perl@brosh.cc.biu.ac.il.

Peter, K.V. Kerala Agriculture University, PO KAU Vellankkara, Trichur, India 680656. Phone: 011-91-487-370347; Fax: 011-91-487370019; Email: yckau@vsnl.com.

Peterson, Paul S. Plant Pest Diagnostic Center, 3294 Meadowview Road, Sacramento, CA, 95832-1448. Phone: (916) 262-1139; Fax: (916) 262-1190; Email: ppeterso@cdfa.ca.gov. Laboratory germination and seed quality assessment.

Pettit, Fred. Epcot Science, Walt Disney World Co., Lake Buena Vista, FL 32830-0040. Phone: (407) 560-7367; Fax: (407) 560-7227.

Picard, Florence. Vilmorin, Route du Manoir, 49 250 La Menitre, France. Email: vilmorin01@brettcomp.com.

Pitrat, Michel. INRA, Domaine St. Maurice, BP 94, 84143 Montfavet cedex, France. Phone: (33) 90 31 63 30; Fax: (33) 90 31 63 98; Email:

Michel.Pitrat@avignon.inra.fr. Melon, disease resistance, mutants, genetic map.

Poostchi, Iraj. 97 St. Marks Road, Henley-on-Thames RG9 1LP, England. Phone: (01491) 574959; Fax: (10491) 574500. Breeding cantaloupes, melons and watermelons.

Poulos, Jean M. Seminis Vegetable Seeds, Via Canneto Di Rodi, Borgo Sabotino Latina, 04010 Italy. Phone: 39-773- 643722; Fax: 39-773-643729; Email: jpoulos@svseeds.nl.

Price, E. Glen. Sugar Creek Seed, Inc., P.O. Box 508, Hinton, OK, 73047. Phone: (405) 542-3920; Fax: (405) 542-3921; Email: sgcrksd@hintonet.net. Seedless watermelon; polyploidy, genetics, breeding, cytogenetics.

Provvidenti, Rosario. Cornell Univ., Dept. Plant Pathology, NY State Agric. Experiment Sta., Geneva, NY, 14456-0462. Phone: (315) 787-2316; Fax: (315) 787- 2389; Email: rpl3@cornell.edu. Breeding & genetics of resistance to viral diseases of cucumber, squash, melon, watermelon & other cucurbits.

Ramirez, Maria del Pilar. Ciudad de la Investigacion, Universidad de Costa Rica, San Jose, Costa Rica. Phone: 506-2073192; Fax: 506-20763190; Email: pramirez@cibcm.ucr.ac.cr. Viruses in cucurbits, production of resistant transgenic plants.

Randhawa, Lakhwinder. Sutter Seeds, 1469 Stewart Road, Yuba City, CA 95993. Phone: (530) 674-2512/2566; Fax: (530) 674-2721; Email: sutterresearch@aol.com. Watermelon, squash and melon breeding, disease and virus resistance, germplasm, biotechnology.

Randhawa, Parm. CA Seed & Plant Labm, 7877 Pleasant Grove Rd., Elverta, CA 95626. Phone: (916) 655-1581; Fax: (916) 655-1582; Email: randhawa@calspl.com.

Ray, Dennis. Department of Plant Sciences, University of Arizona, Tucson, AZ, 85721. Phone: (520) 621-7612; Fax: (520) 621-7186; Email: dtray@u.arizona.edu. Genetics and cytogenetics of *Cucumis melo* and *Citrullus* spp.

Reiten, Joel. Territorial Seed Co., P.O. Box 157, Cottage Grove, OR, 97424. Phone: (541) 942-9547; Fax: (541) 942-9881; Email: tsc@ordata.com. Bacterial wilt resistance, as well as virus resistance obtained through traditional breeding methods.

Reuling, Gerhard T.M. Nunhems Zaden B.V., P.O. Box 4005, 6080 AA Haelen, The Netherlands. Phone: 31-475-599344; Fax: 31-475-591361; Email: g.reuling@nunhems.com. Cucumber breeding.

Rhodes, Bill B. Clemson Univ./Horticulture, Poole Agricultural Center, Clemson, SC, 29634-0375. Phone: (864) 656-0410; Fax: (864) 656-4960; Email: BRhodes@clemson.edu. Watermelon genetics, breeding, micropropagation, disease resistance, male sterility, triploids.

Robinson, R.W. Dept. Hort. Sci., New York State AES, Hedrick Hall, Geneva, NY, 14456-0462. Phone: (315) 787-2237; Fax: (315) 787-2397; Email: rwr1@cornell.edu. Breeding and genetics of cucurbits.

Robledo, Claude. Seminis - Recherch France, Mas de Rouzel - Chemin des Canaux, 30900 Nimes, France. Phone: 33-4-66-387974; Fax: 33-44-66-387981; Email: crobledo@seminis.com. Melon breeding.

Roig, Luis A. Departamental Biotechnology, ETS Ingen. Politec., Camino de Vera 14, 46022 - Valencia, Spain. Phone: 34(6) 3877424; Fax: 34(6) 3877429.

Roem, Kent. Seminis Vegetable Seeds, P.O. Box 667, Arvin, CA, 93203. Phone: (805) 854-2390; Fax: (805) 854-4379. Melon and watermelon breeding and disease resistance.

Ruttencutter, Glen. Sunseeds, 7087 E. Peltier Road, Acampo, CA 95220. Phone: (209) 367-1064; Fax: (209) 367-1066; Email: glen.ruttencutter@sunseeds.com.

Saito, Takeo. National Research Institute, Veg., Orn. Plants & Tea, Ano, Mie 514-2392, Japan. Phone: 81-59-268-1331; Fax: 81-59-268-1339; Email: romario@nivot.affrc.go.jp. Breeding melons resistant to diseases and insects; use of DNA markers for melon breeding.

Sanghani, Amul. Unicorn Agrotech Ltd., 1-7-139/3, S.D. Road, Hyderabad, A.p., India 500 003. Phone: +91 40 7811554; Fax: +91 40 7842399; Email: uniagro@hdl.vsnl.net.in.

Schultheis, Jonathan R. Dept. Horticulture, 264 Kilgore Hall, North Carolina St. University, Raleigh, NC, 27695-7609. Phone: (919) 515-1225; Fax: (919) 515-2505; Email: jonathan_schultheis@ncsu.edu. Cultural

management of cucurbits; plant spacing, establishment, nutrition, pollination & cultivar evaluation.

Shetty, Nischit V. Seminis Vegetable Seeds, 432 TyTy Omega Road, Tifton, GA, 31794. Phone: (229) 386-8701; Fax: (229)288-8805; email: nischit.shetty@seminis.com. Cucumber breeding.

Shifriss, Oved. 21 Walter Avenue, Highland Park, NJ, 08904-1709. Precocious pigmentation in *Cucurbita*.

Shindo, Eiichi. 282-4-1-102 Ushiku, Ichihara, Chiba, Japan 290-0225. Phone: 0470-82-2413, Email: e-shindo@mikadoagri.com. Watermelon, melon, pumpkin.

Simon, Philipp W. USDA/ARS-Veg Crops, Dept. Hort., Univ. Wisconsin, 1575 Linden Dr., Madison, WI, 53706. Phone: (608) 262-1248; Fax: (608) 262-4743; Email: psimon@facstaff.wisc.edu. Breeding and genetics.

Sipeyre, Bruno. Mas de Rouzel, Seminis France, Chemin des Canaux, 30900 Nimes, France. Phone: 04 66 38 79 78; Fax: 04 66 38.79 81. Email: bsipeyre@svseeds.nl. Plant breeding.

Staub, Jack E. USDA-ARS, Dept. Horticulture, Univ. Wisconsin, Madison, WI, 53706-1590. Phone: (608) 262-0028; Fax: (608) 262-4743; Email: jestaub@facstaff.wisc.edu. Cucumber breeding & genetics, physiology, biochemical genetic markers, evolution, environmental stress.

Stephenson, Andrew G. 208 Mueller Lab, Penn State University, University Park, PA, 16802. Phone: (814) 863-1553; Fax: (814) 865-9131; Email: as4@psu.edu.

Stravato, Vittorio Mario. via Carlo Levi n. 18, 04022 Fondi -Latina, Italy. Phone: 771-510729; Fax: 771-555036; Email: sumas@tiscalinet.it. Disease resistance in Cucurbitaceae species.

Summers, William L. Iowa State University, Dept. Horticulture, Rm. 251, Ames, IA, 50011-1100. Phone: (515) 294-1978; Fax: (515) 294-0730; Email: summers@iastate.edu. Genetic improvement of watermelon.

Sušić, Zoran. Inst. Srbija - Ctr Vegetable Crops, Karadjordjeva St. 71, 11420 Smederevska Palanka, F.R. Yugoslavia. Phone: 381-26-323-170; Fax: 381-26-323- 785; Email: cfcvcs@eunet.yu. Genetics and breeding of *Cucurbita* species; cucumber breeding.

Swanepoel, Cobus. Pannar, P.O. Box 19, Greytown KZN 3250, South Africa. Phone: 27-33-413-9643; Fax: 27-33-417-1208; Email: cobus.swanepoel@pannar.co.za.

Tatlioglu, Turan. Institut of Applied Genetics, Univ. Hannover, Herrenhauser Str. 2, 3000 Hannover, Germany. Phone: (+49)511762-5675; Fax: (+49)511762-3608; Email: turan.tatlioglu@mbox.genetik.uni-hannover.de. Hybrid breeding, male sterility (GMS, CMS) and sex inheritance.

Taurick, Gary. Harris Moran Seed Co., P.O. Box 392, Sun Prairie, WI, 53590. Phone: (608) 837-6574; Fax: (608) 837-3758; Email: g.taurick@harrismoran.com. Development of commercial hybrids of pickle, slicer and Beit Alpha cucumbers.

Teppner, Herwig. Inst. Botany, Karl-Franzens Univ., Holteigasse 6, A-8010 Graz, Austria. Phone: 316-380-5656; Fax: 316-380-9883; Email: herwig.teppner@kfunigraz.ac.at. Systematics, morphology, ecology, crops & medicinal plants (teaching) and small scale breeding.

Thomas, Claude E. USDA-ARS, U.S. Vegetable Laboratory, 2875 Savannah Highway, Charleston, SC, 29414. Phone: (803) 556-0840; Fax: (843) 763-7013; Email: cthomas@awod.com. Disease resistance in cucurbits.

Thompson, Gary A. Univ Arkansas LR, Dept Appl Sci, 575 ETAS Bldg, 2801 S. University Ave, Little Rock, AR, 72204-1099. Phone: (501) 371-7506; Fax: (501) 569-8020; Email: gathompson@ualr.edu. Biotechnology.

Tolla, Greg. Seminis Vegetable Seeds, 432 TyTy Omega Rd., Tifton, GA, 31794. Phone: (229) 386-8701; Fax: (229) 386-8805. Email: greg.tolla@seminis.com. Cucumber breeding and genetics.

Vakalounakis, Demetrios J. Plant Protection Inst., N.A.R.F., P.O. Box 1802, 711 10 Heraklio, Crete, Greece. Phone: 3081-240.986; Fax: 3081-245.858; Email: vakaloun@nefeli.imbb.forth.gr.

van Kooten, Henk C. Seminis Vegetable Seeds, Wageningse Afweg 31, 6702 PD Wageningen Utrecht 6702PD, The Netherlands. Phone: 31-317-468468; Fax: 31-317-468469; Email: henkvan.kooten@seminis.nl. Breeding pickling cucumber.

van Luijk, Maartje “Marleen”. East West Seed Co., Jose Dela Cruz St Matimbubong, San Idelfonso Bulacan, The Philippines. Phone: 63 44 9011370; Fax: 63 44 9011250; Email: info.ph@eastwestseed.com. Breeding of cucurbits adapted to tropical conditions.

Vardi, Eyal. Hazera Genetics, Mivhor M.P. Lachish Daron 79354, Israel. Phone: 972-8-68781328; Fax: 972-8-6814057; Email: vardi@hazera.com.

Vecchio, Franco. c/o Sementi Nunhems, via Ghiarone, 2, S. Agata Bolognese, BO, Italy 40019. Phone: #39-051-6817411; Fax: #39-051-6817400; Email: Franco.Vecchio@nunhems.com. Breeding zucchini.

Walters, Terrence. The Cucurbit Network, P.O.Box 560483, Miami, FL, 33156. Phone: (305) 669-9281; Fax: (305) 661-5984; Email: cucurbitnetwork@netscape.net. Communication via The Cucurbit Network; the whole family Cucurbitaceae.

Wang, Gang. 84 Orange Street, Woodbridge, NJ, 07095. Email: w2140@hotmail.com. Watermelon and melon breeding.

Watterson, Jon. Seminis Vegetable Seeds, Inc., 37437 Highway 16, Woodland, CA, 95616. Phone: (530) 669-6157; Fax: (530) 666-6791. Cucumber, melon, watermelon, squash, pumpkin, gourd germplasm and disease resistance.

Wehner, Todd C. Dept. Horticultural Science, Box 7609, North Carolina St. Univ., Raleigh, NC, 27695-7609. Phone: (919) 515-5363; Fax: (919) 515-2505; Email: todd_wehner@ncsu.edu. Pickling/slicing cucumber, watermelon, luffa gourd; selection, disease resistance, yield, genetics & chilling.

Wessel-Beaver, Linda. Agronomy & Soils Dept., Univ. Puerto Rico, PO Box 9030, Mayaguez, PR, 00681-9030. Phone: (787) 832-4040; Fax: (787) 265-0220; Email: lbeaver@rumac.upr.clu.edu. Pumpkin & squash breeding; disease resistance; insect resistance.

Williams, Tom V. Syngenta Seeds, 10290 Greenway Road, Naples, FL, 34114-3199. Phone: (941) 775-4090; Fax: (941) 774-6852; Email: tom.williams@syngenta.com. Watermelon breeding.

Winkler, Johanna. Saatzucht Gleisdorf GesmbH, Am Tieberhof 33, 8200 Gleisdorf, Austria. Phone:

43 3112 21050; Fax: 43 3112 21055; Email:
winkler.szgleisdorf@utanet.at.

Wolff, David W. Sakata Seed America, Inc., P.O. Box 1118, Lehigh Acres, FL, 33970-1118. Phone: (941) 369-0032 x13; Fax: (941) 369-7528; Email: dwolff@sakata.com. Watermelon breeding and genetics; molecular markers.

Wu, Mingzhu. Hort Inst, Xinjiang Acad Agric Sci, Nanchang Road NO. 38, Urumqi, Xinjiang 830000, China. Phone: 86-0991-45331331; Fax: 86-0991-4533133; Email: mawu@x263.net.

Yamanaka, Hisako. Yamato-Noen Co., Ltd., 110, Byodobo-cho, Tenri-City, Nara, Japan 632-0077. Phone: 07436-2-1182; Fax: 07436-3-3445.

Yang, Dong-Hoon. Seminia Korea Res. Inst., #331-3, Jeonjoong, Kangwaemyun, Chongwon-kun, chungbuk, 363-950, Republic of Korea. Phone: +82-41-862-5441; Fax: +82-41-862-0799; email: dhyang@SeminisAsia.com. Breeding of watermelon,

bottle gourd and melon varieties which have good fruit quality and disease resistance,

Yorty, Paul. Qualiveg Seed Production, 3033 E., 3400 N., Twin Falls, ID, 83301. Phone: (208) 733-0077; Fax: (208) 733-0077. Cucurbit breeding.

Zhang, Jiannong. Melon Research Institute, Gansu University of Agriculture, Lanzhou, Gansu, 730070, P.R. China.

Zhang, Xingping. Syngenta Seeds, 21435 Rd 98, Woodland, CA, 95695. Phone: (530) 666-0986; Fax: (530) 666-5273; Email: xingping.zhang@syngenta.com. Watermelon and melon genetics & breeding.

Zitter, Thomas A. Cornell Univ., Dept. Plant Pathology, 334 Plant Science Building, Ithaca, NY, 14853-5908. Phone: (607) 255-7857; Fax: (607) 255-4471; Email: taz1@cornell.edu. Fungal and viral diseases; disease resistance.